



CUSTOM COMPONENT BOOKLET



taylormadegolf.com

Updated as of 4/10/25

- Updated Shaft & Grip Upcharges pp. 34-72
- Updated driver shaft charts from ball speed to club head speed pp. 31-33

Qi35 LS

CLUB	LOFT	HAND	LIE	VOLUME	LENGTH	SW
Qi35 LS DRIVER	8°	RH	54°-58°	460CC	45.75"	D4
Qi35 LS DRIVER	9°	RH/LH	54°-58°	460CC	45.75"	D4
Qi35 LS DRIVER	10.5°	RH/LH	54°-58°	460CC	45.75"	D4



Qi35

CLUB	LOFT	HAND	LIE	VOLUME	LENGTH	SW
Qi35 DRIVER	9°	RH/LH	56°-60°	460CC	45.75"	D3
Qi35 DRIVER	10.5°	RH/LH	56°-60°	460CC	45.75"	D3
Qi35 DRIVER	12°	RH	56°-60°	460CC	45.75"	D3



Qi35 MAX

CLUB	LOFT	HAND	LIE	VOLUME	LENGTH	SW
Qi35 MAX DRIVER	9°	RH/LH	58°- 62°	460CC	45.75"	D5
Qi35 MAX DRIVER	10.5°	RH/LH	58°- 62°	460CC	45.75"	D5
Qi35 MAX DRIVER	12°	RH	58°- 62°	460CC	45.75"	D5



Qi35 MAX LITE

CLUB	LOFT	HAND	LIE	VOLUME	LENGTH	SW
Qi35 MAX LITE DRIVER	10.5°	RH/LH	58°- 62°	460CC	45.75"	D0
Qi35 MAX LITE DRIVER	12°	RH/LH	58°- 62°	460CC	45.75"	D0
Qi35 MAX WOMEN'S LITE DRIVER	10.5°	RH	58°- 62°	460CC	44"	C3
Qi35 MAX WOMEN'S LITE DRIVER	12°	RH	58°- 62°	460CC	44"	C3



Custom Options available. Stated swingweight targets represent stock build configurations only.

Qi35 TOUR FAIRWAY

CLUB	NUMBER	LOFT	HAND	LIE	VOLUME	LENGTH	SW
Qi35 TOUR FAIRWAY	3	15°	RH/LH	57°-61°	170CC	43.25"	D3
Qi35 TOUR FAIRWAY	5	18°	RH/LH	57.5°-61.5°	150CC	42.25"	D3
Qi35 TOUR FAIRWAY	7	21°	RH	58°-62°	150CC	41.75"	D3



Qi35 FAIRWAY

CLUB	NUMBER	LOFT	HAND	LIE	VOLUME	LENGTH	SW
Qi35 FAIRWAY	3	15°	RH/LH	57° - 61°	185CC	43.25"	D3
Qi35 FAIRWAY	3HL	16.5°	RH	57° - 61°	185CC	43.25"	D3
Qi35 FAIRWAY	5	18°	RH/LH	57.5° - 61.5°	165CC	42.25"	D3
Qi35 FAIRWAY	7	21°	RH/LH	60°	165CC	41.75"	D3



Qi35 MAX FAIRWAY

CLUB	NUMBER	LOFT	HAND	LIE	VOLUME	LENGTH	SW
Qi35 MAX FAIRWAY	3	15.5°	RH/LH	57° - 61°	190CC	43.25"	D1
Qi35 MAX FAIRWAY	5	18.5°	RH/LH	57.5° - 61.5°	175CC	42.25"	D1
Qi35 MAX FAIRWAY	7	21.5°	RH/LH	60°	175CC	41.75"	D1
Qi35 MAX FAIRWAY	9	24.5°	RH	60.5°	165CC	41.5"	D1



Qi35 MAX LITE FAIRWAY

CLUB	NUMBER	LOFT	HAND	LIE	VOLUME	LENGTH	SW
Qi35 MAX LITE FAIRWAY	3	15.5°	RH/LH	57° - 61°	190CC	43.25"	D1
Qi35 MAX LITE FAIRWAY	5	18.5°	RH/LH	57.5° - 61.5°	175CC	42.25"	D1
Qi35 MAX LITE FAIRWAY	7	21.5°	RH/LH	60°	175CC	41.75"	D1
Qi35 MAX LITE WOMEN'S FAIRWAY	3	15.5°	RH	57° - 61°	190CC	42"	C5
Qi35 MAX LITE WOMEN'S FAIRWAY	5	18.5°	RH	57.5° - 61.5°	175CC	41"	C5
Qi35 MAX LITE WOMEN'S FAIRWAY	7	21.5°	RH	60°	175CC	40.5"	C5



Custom Options available. Stated swingweight targets represent stock build configurations only.

Qi35
RESCUE™

CLUB	NUMBER	LOFT	HAND	LIE	LENGTH	SW
Qi35 RESCUE	2	17°	RH	56°-60°	41.25"	D2/D3
Qi35 RESCUE	3	19°	RH/LH	56.5°-60.5°	40.75"	D2/D3
Qi35 RESCUE	4	22°	RH/LH	57-61°	40.25"	D2/D3
Qi35 RESCUE	5	25°	RH/LH	57.5-61.5°	39.75"	D2/D3



Qi35
MAX
RESCUE™

CLUB	NUMBER	LOFT	HAND	LIE	LENGTH	SW
Qi35 MAX RESCUE	3	20°	RH/LH	59°	40.75"	D2
Qi35 MAX RESCUE	4	23°	RH/LH	59.5°	40.25"	D2
Qi35 MAX RESCUE	5	27°	RH/LH	60°	39.75"	D2
Qi35 MAX RESCUE	6	31°	RH	60.5°	39.25"	D2
Qi35 MAX RESCUE	7	35°	RH	61°	38.75"	D2



Qi35
MAX LITE
RESCUE™

CLUB	NUMBER	LOFT	HAND	LIE	LENGTH	SW
Qi35 MAX LITE RESCUE	4	23°	RH/LH	59.5°	40.25"	D0
Qi35 MAX LITE RESCUE	5	27°	RH/LH	60°	39.75"	D0
Qi35 MAX LITE RESCUE	6	31°	RH	60.5°	39.25"	D0
Qi35 MAX LITE RESCUE	7	35°	RH	61°	38.75"	D0
Qi35 MAX LITE WOMEN'S RESCUE	4	23°	RH/LH	59.5°	38.75"	C4
Qi35 MAX LITE WOMEN'S RESCUE	5	27°	RH/LH	60°	38.25"	C4
Qi35 MAX LITE WOMEN'S RESCUE	6	31°	RH	60.5°	37.75"	C4
Qi35 MAX LITE WOMEN'S RESCUE	7	35°	RH	61°	37.25"	C4



Custom Options available. Stated swingweight targets represent stock build configurations only.

2025 UTILITY IRONS



P·UDI

CLUB	NUMBER	LOFT	HAND	LIE	LENGTH	SW
P-UDI	2	18°	RH/LH	60°	39.75"	D2
P-UDI	3	20°	RH/LH	60.5°	39.25"	D2
P-UDI	4	22°	RH/LH	61°	38.75"	D2



P·DHY

CLUB	NUMBER	LOFT	HAND	LIE	LENGTH	SW
P-DHY	2	17°	RH/LH	60°	39.75"	D2
P-DHY	3	20°	RH/LH	60.5°	39.25"	D1
P-DHY	4	22°	RH/LH	61°	38.75"	D1



Custom Options available. Stated swingweight targets represent stock build configurations only.

DRVR/FW SHAFTS

HYBRID SHAFTS

IRON SHAFTS

WEDGES

PUTTERS

SWING GRIPS

PUTTER GRIPS

BUILD

JUNIOR



2025 IRONS



Qi IRONS

CLUB	4	5	6	7	8	9	PW	AW	SW	LW
LOFT	18.5°	21.0°	24.0°	28°	32°	37°	43°	49°	54°	59°
LIE	61.5°	62.0°	62.5°	63.0°	63.5°	64.0°	64.5°	64.5°	64.5°	64.5°
LENGTH MEN'S	39.125"	38.5"	37.88"	37.25"	36.75"	36.25"	35.75"	35.5"	35.25"	35"
SWINGWEIGHT MEN'S (STEEL)	D1	D1	D1	D1	D1	D1	D1	D1	D2	D3
SWINGWEIGHT MEN'S (GRAPHITE)	D0	D0	D0	D0	D0	D0	D0	D0	D1	D2
LENGTH WOMEN'S	37.5	37.5	36.88	36.25	35.75	35.25	34.75	34.5	34.25	34
SWINGWEIGHT WOMEN'S	C2	C2	C2	C2	C2	C2	C2	C2	C3	C3
HAND	RH/LH	RH/LH	RH/LH	RH/LH	RH/LH	RH/LH	RH/LH	RH/LH	RH/LH	RH



Qi HL IRONS

CLUB	5	6	7	8	9	PW	AW	SW
LOFT	23.5°	26.5°	30°	34°	38.5°	44.5°	49°	54°
LIE	62.0°	62.5°	63.0°	63.5°	64.0°	64.5°	64.5°	64.5°
LENGTH MEN'S	38.5"	37.88"	37.25"	36.75"	36.25"	35.75"	35.5"	35.25"
SWINGWEIGHT MEN'S (STEEL)	D0	D0	D0	D0	D0	D0	D1	D2
SWINGWEIGHT MEN'S (GRAPHITE)	C8	C8	C8	C8	C8	C8	C9	D0
LENGTH WOMEN'S	37.5	36.88	36.25	35.75	35.25	34.75	34.5	34.25
SWINGWEIGHT WOMEN'S	C2	C2	C2	C2	C2	C2	C2	C3
HAND	RH/LH	RH/LH	RH/LH	RH/LH	RH/LH	RH/LH	RH/LH	RH/LH



P.790

CLUB	4	5	6	7	8	9	PW	AW
LOFT	20°	23°	26.5°	30°	34°	39°	44°	49°
LIE	61.0°	61.5°	62.0°	62.5°	63.0°	63.5°	64°	64°
LENGTH MEN'S (STEEL)	38.50"	38.00"	37.50"	37.00"	36.50"	36.00"	35.75"	35.50"
SWINGWEIGHT MEN'S (STEEL)	D2	D2	D2	D2	D2	D2	D3	D3
SWINGWEIGHT MEN'S (GRAPHITE)	D0	D0	D0	D0	D0	D0	D1	D1
LENGTH WOMEN'S (CUSTOM ONLY)	37.50"	37.00"	36.50"	36.00"	35.50"	35.00"	34.75"	34.50"
HAND	RH/LH	RH/LH	RH/LH	RH/LH	RH/LH	RH/LH	RH/LH	RH/LH



Custom Options available. Stated swingweight targets represent stock build configurations only.

P.770

CLUB	3	4	5	6	7	8	9	PW	AW
LOFT	19°	22°	25.5°	29.0°	33°	37°	41°	45°	50°
LIE	60.5°	61°	61.5°	62.0°	62.5°	63.0°	63.5°	64°	64°
LENGTH MEN'S	39"	38.5"	38"	37.5"	37"	36.5"	36"	35.75"	35.5"
SWINGWEIGHT MEN'S (ST/GR)	D2	D2	D2	D2	D2	D2	D2	D3	D3
HAND	RH/LH	RH/LH	RH/LH	RH/LH	RH/LH	RH/LH	RH/LH	RH/LH	RH



P.7CB

CLUB	3	4	5	6	7	8	9	PW	AW
LOFT	20°	23°	26°	29°	33°	37°	41°	46°	51°
LIE	60.5°	61°	61.5°	62.0°	62.5°	63.0°	63.5°	64°	64°
LENGTH MEN'S	39"	38.5"	38"	37.5"	37"	36.5"	36"	35.75"	35.5"
SWINGWEIGHT MEN'S (ST/GR)	D3	D3	D3	D3	D3	D3	D3	D4	D4
HAND	RH/LH	RH/LH	RH/LH	RH/LH	RH/LH	RH/LH	RH/LH	RH/LH	RH



P.7MB

CLUB	3	4	5	6	7	8	9	PW
LOFT	20°	23°	26°	30°	34°	38°	42.5°	47°
LIE	60.5°	61°	61.5°	62°	62.5°	63°	63.5°	64°
LENGTH MEN'S	39"	38.5"	38"	37.5"	37"	36.5"	36"	35.75"
SWINGWEIGHT MEN'S (ST/GR)	D2	D2	D2	D2	D2	D2	D2	D3
HAND	RH/LH	RH/LH	RH/LH	RH/LH	RH/LH	RH/LH	RH/LH	RH/LH



P.7TW

CLUB	3	4	5	6	7	8	9	PW
LOFT	21°	24°	27°	31°	35°	39°	43°	47°
LIE	59.5°	60°	60.5°	61°	61.5°	62.5°	63°	63.5°
LENGTH MEN'S (ST)	39.00"	38.50"	38.00"	37.50"	37.00"	36.50"	36.00"	35.75"
SWINGWEIGHT MEN'S (ST)	D3	D3	D3	D3	D3	D3	D3	D3
HAND	RH	RH	RH	RH	RH	RH	RH	RH



Custom Options available. Stated swingweight targets represent stock build configurations only.

P•700 SERIES COMBO GUIDE



For players committed to the grind, P-Series awaits. An added benefit is the ability to combo, or mix and match, iron sets. This chart will help identify how your lofts should be adjusted for proper gapping based on your desired level of forgiveness.

FORGIVENESS LEVEL 1	ADJUSTED LOFTS						STOCK LOFTS			
	P7MB	P7CB	P7CB	P770	P770	P790	P7MB	P7CB	P770	P790
	3		STD		STD			20°	20°	19°
4		STD		STD		1° Weak	23°	23°	22°	20°
5	STD		0.5° Strong		0.5° Strong		26°	26°	25.5°	23°
6	STD		STD		STD		30°	29°	29°	26.5°
7	STD		STD		STD		34°	33°	33°	30°
8	STD		STD		STD		38°	37°	37°	34°
9	STD		STD		STD		42.5°	41°	41°	39°
P	STD		STD		STD		47°	46°	45°	44°
A					STD			51°	50°	49°

FORGIVENESS LEVEL 2	ADJUSTED LOFTS						STOCK LOFTS			
	P7MB	P7CB	P7CB	P770	P770	P790	P7MB	P7CB	P770	P790
	3		STD		STD			20°	20°	19°
4		STD		STD		1° Weak	23°	23°	22°	20°
5		STD		STD		2° Weak	26°	26°	25.5°	23°
6	STD		STD		STD		30°	29°	29°	26.5°
7	STD		STD		STD		34°	33°	33°	30°
8	STD		STD		STD		38°	37°	37°	34°
9	STD		STD		STD		42.5°	41°	41°	39°
P	STD		STD		STD		47°	46°	45°	44°
A			STD		STD			51°	50°	49°

FORGIVENESS LEVEL 3	ADJUSTED LOFTS						STOCK LOFTS			
	P7MB	P7CB	P7CB	P770	P770	P790	P7MB	P7CB	P770	P790
	3		STD		STD			20°	20°	19°
4		STD		STD		1° Weak	23°	23°	22°	20°
5		STD		STD		1.5° Weak	26°	26°	25.5°	23°
6		1° Weak		STD		2° Weak	30°	29°	29°	26.5°
7	STD		STD		0.5° Strong		34°	33°	33°	30°
8	STD		STD		0.5° Strong		38°	37°	37°	34°
9	STD		STD		0.5° Strong		42.5°	41°	41°	39°
P	STD		STD		STD		47°	46°	45°	44°
A			STD		STD			51°	50°	49°

FORGIVENESS LEVEL 4	ADJUSTED LOFTS						STOCK LOFTS			
	P7MB	P7CB	P7CB	P770	P770	P790	P7MB	P7CB	P770	P790
	3		STD		STD			20°	20°	19°
4		STD		STD		1° Weak	23°	23°	22°	20°
5		STD		STD		1.5° Weak	26°	26°	25.5°	23°
6		1° Weak		STD		1.5° Weak	30°	29°	29°	26.5°
7	STD			STD		2° Weak	34°	33°	33°	30°
8	STD		STD		1° Strong		38°	37°	37°	34°
9	STD		STD		0.5° Strong		42.5°	41°	41°	39°
P	STD		STD		STD		47°	46°	45°	44°
A			STD		STD			51°	50°	49°



DRIVER/WY SHAFTS

HYBRID SHAFTS

IRON SHAFTS

WEDGES

PUTTERS

SWING GRIPS

PUTTER GRIPS

BUILD

JUNIOR

LEARN IT




- P·UDI:**
 - Tour inspired shape
 - Penetrating ball flight
 - Blend of control and workability
- P·DHY:**
 - Shallower face height and increased sole width
 - Mid-to-high launch and mid-range spin
 - Blend of forgiveness and playability
- Qi35 RESCUE:**
 - Mid profile
 - Long iron replacement
 - Adjustable loft sleeve
- Qi35 MAX RESCUE:**
 - Large confidence inspiring profile
 - Long and versatile
- Qi35 MAX LITE RESCUE:**
 - Shallow face for easy launch
 - Confidence inspiring profile

COMPARE IT

	P·UDI	P·DHY	Qi35 RESCUE™	Qi35 MAX RESCUE™	Qi35 MAX LITE RESCUE™
LOFTS	2-17°, 3-20°, 4-22°	2-17°, 3-19°, 4-22°	2-17°, 3-19.5°, 4-22°, 5-25°	3-20°, 4-23°, 5-27°, 6-31°, 7-35°	4-23°, 5-27°, 6-31°, 7-35°
HAND	RH - 2, 3, 4 LH - 2, 3, 4	RH - 2, 3, 4 LH - 2, 3, 4	RH - 2, 3, 4, 5 LH - 3, 4, 5	RH - 3, 4, 5, 6, 7 LH - 3, 4, 5	RH - 4, 5, 6, 7 LH - 4, 5
LAUNCH	MID-LOW	MID-HIGH	MID	HIGH	HIGH
SPIN	MID	MID	MID-LOW	MID-HIGH	MID-HIGH
HANDICAP	0-15	0-20	0-30	0-30	0-30
TEE SHOT	★★★★★	★★★★★	★★★★★	★★★★★	★★★★★
FAIRWAY SHOT	★★★★★	★★★★★	★★★★★	★★★★★	★★★★★
ROUGH/OTHER	★★★★★	★★★★★	★★★★★	★★★★★	★★★★★

SELECT IT



DRIVER/WY SHAFTS

HYBRID SHAFTS

IRON SHAFTS

WEDGES

PUTTERS

SWING GRIPS

PUTTER GRIPS

BUILD

JUNIOR



2025 WEDGES



CLUB	LOFT	LENGTH	BOUNCE	LIE	HAND	SWINGWEIGHT	MATERIAL	FINISH
STANDARD BOUNCE	46°	35.75"	9°	64°	RH/LH	D3	8620 CARBON STEEL	TOUR SATIN CHROME
	48°	35.75"	9°	64°	RH/LH	D3	8620 CARBON STEEL	TOUR SATIN CHROME
	50°	35.50"	9°	64°	RH/LH	D3	8620 CARBON STEEL	TOUR SATIN CHROME
	52°	35.50"	9°	64°	RH/LH	D3	8620 CARBON STEEL	TOUR SATIN CHROME
	54°	35.25"	11°	64°	RH/LH	D5	8620 CARBON STEEL	TOUR SATIN CHROME
	56°	35.25"	12°	64°	RH/LH	D5	8620 CARBON STEEL	TOUR SATIN CHROME
	58°	35.00"	11°	64°	RH/LH	D5	8620 CARBON STEEL	TOUR SATIN CHROME
	60°	35.00"	10°	64°	RH/LH	D5	8620 CARBON STEEL	TOUR SATIN CHROME
STANDARD BOUNCE C GRIND	58°	35.00"	9°	64°	RH	D5	8620 CARBON STEEL	TOUR SATIN CHROME
	60°	35.00"	9°	64°	RH	D5	8620 CARBON STEEL	TOUR SATIN CHROME
LOW BOUNCE	56°	35.25"	8°	64°	RH	D5	8620 CARBON STEEL	TOUR SATIN CHROME
	58°	35.00"	8°	64°	RH/LH	D5	8620 CARBON STEEL	TOUR SATIN CHROME
	60°	35.00"	8°	64°	RH/LH	D5	8620 CARBON STEEL	TOUR SATIN CHROME
LOW BOUNCE V GRIND	58°	35.00"	7°	64°	RH	D5	8620 CARBON STEEL	TOUR SATIN CHROME
	60°	35.00"	7°	64°	RH	D5	8620 CARBON STEEL	TOUR SATIN CHROME
HIGH BOUNCE	52°	35.50"	12°	64°	RH/LH	D3	8620 CARBON STEEL	TOUR SATIN CHROME
	54°	35.25"	13°	64°	RH/LH	D5	8620 CARBON STEEL	TOUR SATIN CHROME
	56°	35.25"	14°	64°	RH/LH	D5	8620 CARBON STEEL	TOUR SATIN CHROME
	58°	35.00"	12°	64°	RH/LH	D5	8620 CARBON STEEL	TOUR SATIN CHROME
	60°	35.00"	12°	64°	RH/LH	D5	8620 CARBON STEEL	TOUR SATIN CHROME
HIGH BOUNCE W GRIND	58°	35.00"	13°	64°	RH	D5	8620 CARBON STEEL	TOUR SATIN CHROME
	60°	35.00"	13°	64°	RH	D5	8620 CARBON STEEL	TOUR SATIN CHROME
TIGER GRIND	56°	35.25"	12°	64°	RH	D5	8620 CARBON STEEL	TOUR SATIN CHROME
	60°	35.00"	11°	64°	RH	D5	8620 CARBON STEEL	TOUR SATIN CHROME

DRIVER/WY SHAFTS

HYBRID SHAFTS

IRON SHAFTS

WEDGES

PUTTERS

SWING GRIPS

PUTTER GRIPS

BUILD

JUNIOR



MILLED GRIND 4



LOW BOUNCE

THE "LB" SOLE IS A MODIFIED C-GRIND WITH A LEADING EDGE "SKI" THAT ALLOWS THE LEADING EDGE TO SIT LOW TO THE GROUND WITH AN OPEN FACE. FOR PLAYERS WHO ARE SHALLOW AND OPEN THE FACE ANGLE AROUND THE GREENS.



LOW BOUNCE VERSATILITY

THE NEW "LBV" LOW BOUNCE PERFORMANCE SOLE OFFERS SKILLED PLAYERS THE ULTIMATE IN GREENSIDE VERSATILITY. DESIGNED FOR SHALLOW ATTACK ANGLES, THE AGGRESSIVE NARROW V-SOLE PROVIDES OUR LOWEST LEADING EDGE FOR GREENSIDE PERFECTION.



STD BOUNCE

A CLASSIC FULL SOLE DESIGN WITH CONSTANT TRAILING EDGE RELIEF. A GENTLE 4-WAY CAMBER WITH VERSATILITY IS DESIGNED FOR MOST SWING TYPES AND FOR PLAYERS THAT KEEP THEIR FACE SQUARE TO THE TARGET.



STD BOUNCE CAMBER

THE NEW "SBC" SOLE PROVIDES MORE VERSATILITY WITH ADDED BOUNCE AND CAMBER IN THE MIDDLE OF THE SOLE WITH A RELIEVED HEEL AND TRAILING EDGE. DESIGNED FOR THE PLAYERS WHO PREFER THE ULTIMATE VERSATILITY WITH VARYING FACE ANGLING AROUND THE GREEN.



HIGH BOUNCE

THE "HB" IS A STANDARD WIDTH SOLE DESIGN WITH ADDED HEEL RELIEF FOR INCREASED SHOTMAKING AND SLIGHTLY STEEPER SWINGS.



HIGH BOUNCE WIDE

THE NEW "HBW" IS OUR WIDEST SOLE OFFERING HIGH BOUNCE AND FORGIVENESS. IT IS DESIGNED WITH MAXIMUM CAMBER AND FULL SOLE SYMMETRY, MAKING IT EXCELLENT FOR SOFT TURF CONDITIONS AND BUNKER PLAY.



TIGER GRIND

THE TW GRINDS PERFORM IN THE LOW BOUNCE CATEGORY. THE 56° WEDGE IS A DUAL SOLE WITH HEAVY HEEL RELIEF.



TIGER GRIND

THE TW GRINDS PERFORM IN THE LOW BOUNCE CATEGORY. THE 60° HAS AN EXTREMELY HIGH BOUNCE ON THE LEADING EDGE WITH A SHAVED HEEL.

2025 WEDGES



HI-TOE⁴



CLUB	LOFT	LENGTH	BOUNCE	LIE	HAND	SWINGWEIGHT	SHAFT	SCORING LINES	FINISH
ATS	50°	35.50"	9°	64°	RH/LH	D5	TRUE TEMPER DYNAMIC GOLD TOUR ISSUE 115G	TRADITIONAL	COPPER
	52°	35.50"	9°	64°	RH/LH	D5	TRUE TEMPER DYNAMIC GOLD TOUR ISSUE 115G	TRADITIONAL	COPPER
	54°	35.25"	10°	64°	RH/LH	D5	TRUE TEMPER DYNAMIC GOLD TOUR ISSUE 115G	FULL FACE	COPPER
	56°	35.25"	10°	64°	RH/LH	D5	TRUE TEMPER DYNAMIC GOLD TOUR ISSUE 115G	FULL FACE	COPPER
	58°	35.00"	10°	64°	RH/LH	D5	TRUE TEMPER DYNAMIC GOLD TOUR ISSUE 115G	FULL FACE	COPPER
	60°	35.00"	10°	64°	RH/LH	D5	TRUE TEMPER DYNAMIC GOLD TOUR ISSUE 115G	FULL FACE	COPPER
ATV	56°	35.25"	11°	64°	RH/LH	D5	TRUE TEMPER DYNAMIC GOLD TOUR ISSUE 115G	FULL FACE	COPPER
	58°	35.00"	11°	64°	RH/LH	D5	TRUE TEMPER DYNAMIC GOLD TOUR ISSUE 115G	FULL FACE	COPPER
	60°	35.00"	11°	64°	RH/LH	D5	TRUE TEMPER DYNAMIC GOLD TOUR ISSUE 115G	FULL FACE	COPPER
ATX	56°	35.25"	12°	64°	RH/LH	D5	TRUE TEMPER DYNAMIC GOLD TOUR ISSUE 115G	FULL FACE	COPPER
	58°	35.00"	12°	64°	RH/LH	D5	TRUE TEMPER DYNAMIC GOLD TOUR ISSUE 115G	FULL FACE	COPPER
	60°	35.00"	12°	64°	RH/LH	D5	TRUE TEMPER DYNAMIC GOLD TOUR ISSUE 115G	FULL FACE	COPPER
ATC	58°	35.00"	8°	64°	RH/LH	D5	TRUE TEMPER DYNAMIC GOLD TOUR ISSUE 115G	FULL FACE	COPPER
	60°	35.00"	8°	64°	RH/LH	D5	TRUE TEMPER DYNAMIC GOLD TOUR ISSUE 115G	FULL FACE	COPPER
ATW	56°	35.25"	14°	64°	RH/LH	D3	TRUE TEMPER DYNAMIC GOLD TOUR ISSUE 115G	FULL FACE	COPPER
	58°	35.00"	14°	64°	RH/LH	D3	TRUE TEMPER DYNAMIC GOLD TOUR ISSUE 115G	FULL FACE	COPPER
	60°	35.00"	14°	64°	RH/LH	D3	TRUE TEMPER DYNAMIC GOLD TOUR ISSUE 115G	FULL FACE	COPPER

DRIVER/WY SHAFTS

HYBRID SHAFTS

IRON SHAFTS

WEDGES

PUTTERS

SWING GRIPS

PUTTER GRIPS

BUILD

JUNIOR



HI-TOE⁴



AT5

CONDITION TYPE



SWING TYPE



An increased 4-way camber is a staple in this sole design providing versatility for manufacturing shots with an open or closed face.



ATV

CONDITION TYPE



SWING TYPE



A unique asymmetric bounce and concave sole creates a multifunctional design for crisp, clean contact off tight lies while playing with more effective bounce in the open face position for all around versatility.



ATX

CONDITION TYPE



SWING TYPE



One of our most forgiving sole designs using a 3 surface sole that plays with mid range bounce. The leading edge prevents digging in softer conditions, while the mid sole ensures stability and an aggressive trailing edge creates a quick exit from the turf.



ATC

CONDITION TYPE



SWING TYPE



A low bounce wedge packed with versatility. A narrow split sole design with a low leading edge, and healthy heel/toe relief.



ATW

CONDITION TYPE



SWING TYPE



Wide sole designed with a high effective bounce. It is designed to inspire confidence and provide maximum forgiveness, especially out of soft conditions and bunkers.

LIGHT TURF INTERACTION

HEAVY TURF INTERACTION

2025 PUTTERS



Spider
TOUR SERIES




IMAGE	TYPE	HOSEL	HAND	TOE HANG	OFFSET	LOFT	LIE	INSERT
1	SPIDER TOUR #3	SMALL SLANT	RH/LH	29°	FULL SHAFT	3°	70°	TPU PURE ROLL
2	SPIDER TOUR DOUBLE BEND	DOUBLE BEND	RH/LH	0°	HALF SHAFT	3°	70°	TPU PURE ROLL
3	SPIDER TOUR S	DOUBLE BEND	RH/LH	0°	HALF SHAFT	3°	70°	TPU PURE ROLL
4	SPIDER TOUR X #3	SMALL SLANT	RH/LH	30°	HALF SHAFT	3°	70°	TPU PURE ROLL
5	SPIDER TOUR X DOUBLE BEND	DOUBLE BEND	RH/LH	0°	FULL SHAFT	3°	70°	TPU PURE ROLL
6	SPIDER TOUR X #1	L-NECK (#1)	RH/LH	21°	FULL SHAFT	3°	70°	TPU PURE ROLL

Spider
TOUR SERIES
BLACK




IMAGE	TYPE	HOSEL	HAND	TOE HANG	OFFSET	LOFT	LIE	INSERT
1	SPIDER TOUR X #1 BLACK	L-NECK (#1)	RH/LH	21°	FULL SHAFT	3°	70°	TPU PURE ROLL
2	SPIDER TOUR X #3 BLACK	SMALL SLANT	RH/LH	30°	HALF SHAFT	3°	70°	TPU PURE ROLL
3	SPIDER TOUR #3 BLACK	SMALL SLANT	RH/LH	29°	FULL SHAFT	3°	70°	TPU PURE ROLL
4	SPIDER TOUR DOUBLE BEND	DOUBLE BEND	RH	0°	HALF SHAFT	3°	70°	TPU PURE ROLL
5	SPIDER TOUR S BLACK	DOUBLE BEND	RH/LH	0°	HALF SHAFT	3°	70°	TPU PURE ROLL
6	SPIDER TOUR S BLACK CS LONG*	CENTER SHAFT	RH	0°	FULL SHAFT	3°	70°	TPU PURE ROLL

Items in RED will be offered in custom only

*Not available for custom

TP
BLACK




IMAGE	TYPE	HOSEL	HAND	TOE HANG	OFFSET	LOFT	LIE	INSERT
1	JUNO #1	L-NECK (#1)	RH/LH	38°	FULL SHAFT	3.5°	70°	BLACK SURLYN
2	SOTO #1	L-NECK (#1)	RH/LH	39°	3/4 SHAFT	3.5°	70°	BLACK SURLYN

PUTTER - WEIGHT TABLES



PUTTER LENGTH	ADJUSTABLE WEIGHT			
	SPIDER TOUR #3	SPIDER TOUR DOUBLE BEND	SPIDER TOUR Z #3	SPIDER TOUR X #3
37"	1g	1g	1g	1g
36.75"	1g	1g	1g	1g
36.5"	1g	1g	1g	1g
36.25"	1g	1g	1g	1g
36"	1g	1g	1g	1g
35.75"	1g	1g	1g	1g
35.50"	1g	1g	1g	1g
35.25"	1g	1g	1g	1g
35"	1g	1g	1g	1g
34.75"	1g	1g	1g	1g
34.5"	1g	1g	1g	1g
34.25"	6g	6g	6g	6g
34"	6g	6g	6g	6g
33.75"	6g	6g	6g	6g
33.5"	6g	6g	6g	6g
33.25"	11g	11g	11g	11g
33"	11g	11g	11g	11g
32.75"	11g	11g	11g	11g
32.5"	11g	11g	11g	11g
32.25"	11g	11g	11g	11g
32"	11g	11g	11g	11g

PUTTER COMPARISON DATA SHEET

MODEL	SHAFT OFFSET	HOSEL	TOE HANG	CG LOCATION	
SPIDER TOUR X DOUBLE BEND	FULL SHAFT	DOUBLE BEND	0	33MM	
SPIDER TOUR DOUBLE BEND	FULL SHAFT	DOUBLE BEND	0	35MM	
SPIDER TOUR S	FULL SHAFT	DOUBLE BEND	0	38MM	
SPIDER TOUR S BLACK CS LONG	N/A	CENTER	0	38MM	
TP BLACK JUNO #1	FULL SHAFT	L-NECK	38	11.6MM	
TP BLACK SOTO #1	FULL SHAFT	L-NECK	39	11.8MM	
SPIDER TOUR X #1	FULL SHAFT	L-NECK	21	33MM	
SPIDER TOUR X #3	HALF SHAFT	SMALL SLANT	30	33MM	
SPIDER TOUR #3	HALF SHAFT	SMALL SLANT	29	35MM	

PRODUCT COMPARISON DATA SHEET



DRIVERS	Qi35 LS DRIVER	Qi35 DRIVER	Qi35 MAX DRIVER	Qi35 MAX LITE DRIVER
FORGIVENESS	HIGH	HIGHER	HIGHEST	HIGHER
LAUNCH	LOW	MID	MID-HIGH	HIGH
SPIN	LOW	MID-LOW	MID	MID
BIASED	NEUTRAL	NEUTRAL	SLIGHT DRAW	SLIGHT DRAW
SIZE	460CC	460CC	460CC	460CC



FAIRWAYS	Qi35 TOUR FAIRWAY	Qi35 FAIRWAY	Qi35 MAX FAIRWAY	Qi35 MAX LITE FAIRWAY
FORGIVENESS	HIGH	HIGHER	HIGHEST	HIGHER
LAUNCH	ADJUSTABLE	MID	HIGH	HIGH
SPIN	ADJUSTABLE	MID	MID-HIGH	MID-HIGH
BIASED	NEUTRAL	NEUTRAL	SLIGHT DRAW	NEUTRAL
SIZE	170CC	185CC	200CC	200CC



RESCUES	Qi35 RESCUE	Qi35 MAX RESCUE	Qi35 MAX LITE RESCUE
FORGIVENESS	HIGH	HIGHEST	HIGHER
LAUNCH	MID	HIGH	HIGH
SPIN	MID-LOW	MID-HIGH	MID-HIGH
BIASED	NEUTRAL	NEUTRAL	NEUTRAL



UTILITY	P-DHY	P-UDI
FORGIVENESS	HIGH	MID
LAUNCH	MID-HIGH	MID-LOW
SPIN	MID	MID
BIASED	NEUTRAL	NEUTRAL

DRIVER/WY SHAFTS

HYBRID SHAFTS

IRON SHAFTS

WEDGES

PUTTERS

SWING GRIPS

PUTTER GRIPS

BUILD


JUNIOR



PRODUCT COMPARISON DATA SHEET



IRONS	P-7TW	P-7MB	P-7CB	P-770	P-790	Qi	Qi HL
STYLE	PLAYERS	PLAYERS	PLAYERS	MODERN PLAYERS	PLAYERS DISTANCE	GAME IMPROVEMENT	GAME IMPROVEMENT
FORGIVENESS	LOW	LOW	LOW-MID	MID	MID-HIGH	HIGH	HIGHEST
TRAJECTORY	MID	MID	MID	MID	MID-HIGH	HIGH	HIGHEST
WORKABILITY	HIGH	HIGH	HIGH	MID-HIGH	MID	LOW	LOW
DISTANCE	MID	MID	MID	MID-LONG	LONG	LONGEST	LONGEST



WEDGE	HI-TOE 4	MILLED GRIND 4
SHAPE	MODERN	CLASSIC
LAUNCH	MID-LOW	MID-HIGH
SPIN	HIGHEST	HIGH
GROOVE	SPIN TREADS	SPIN TREADS
RAW FACE	YES	YES
FULL FACE SCORING LINES	54°, 56°, 58°, 60°	N/A

DRIVER/WY SHAFTS

HYBRID SHAFTS

IRON SHAFTS

WEDGES

PUTTERS

SWING GRIPS

PUTTER GRIPS

BUILD

JUNIOR



BUILD INFO



DRIVER	LOFT SLEEVE ADJUSTMENTS		
	LOFT	FACE ANGLE	LIE
<i>Qi35</i> LS	+/- 2°	+/- 4°	54°-58°
<i>Qi35</i>	+/- 2°	+/- 4°	56°-60°
<i>Qi35</i> MAX	+/- 2°	+/- 4°	58°-62°
<i>Qi35</i> MAX LITE	+/- 2°	+/- 4°	58°-62°

FAIRWAY	LOFT SLEEVE ADJUSTMENTS				
	LOFT	FACE ANGLE	3 WOOD LIE	5 WOOD LIE	7 WOOD LIE
<i>Qi35</i> TOUR	+/- 2°	+/- 4°	57°-61°	57.5°-61.5°	58°-62°
<i>Qi35</i>	+/- 2°	+/- 4°	57°-61°	57.5°-61.5°	N/A
<i>Qi35</i> MAX	+/- 2°	+/- 4°	57°-61°	57.5°-61.5°	N/A
<i>Qi35</i> MAX LITE	+/- 2°	+/- 4°	57°-61°	57.5°-61.5°	N/A

RESCUE	LOFT SLEEVE ADJUSTMENTS					
	LOFT	FACE ANGLE	2 RESCUE LIE	3 RESCUE LIE	4 RESCUE LIE	5 RESCUE LIE
<i>Qi35</i>	+/- 1.5°	+/- 3°	56°-60°	56.5°-60.5°	57°-61°	57.5°-61.5°

UTILITY	LOFT ADJUSTMENTS	LIE ADJUSTMENTS	TIP	STOCK LENGTHS	CUSTOM LENGTHS
P·DHY	2° +/-	2° +/-	0.355 (TAPER TIP)	TRADITIONAL	TRADITIONAL
P·UDI	2° +/-	2° +/-	0.355 (TAPER TIP)	TRADITIONAL	TRADITIONAL

DRIVER/WOOD SHAFTS

HYBRID SHAFTS

IRON SHAFTS

WEDGES

PUTTERS

SWING GRIPS

PUTTER GRIPS

BUILD

JUNIOR



BUILD INFO



IRONS	LOFT ADJUSTMENTS	LIE ADJUSTMENTS	TIP	STOCK LENGTHS	CUSTOM LENGTHS
Qi IRONS	2° +/-	4° +/-	0.370 (PARALLEL)	PROGRESSIVE	PROGRESSIVE
Qi HL IRONS	2° +/-	4° +/-	0.370 (PARALLEL)	PROGRESSIVE	PROGRESSIVE
P·790	2° +/-	4° +/-	0.355 (TAPER)	TRADITIONAL	TRADITIONAL
P·770	2° +/-	4° +/-	0.355 (TAPER)	TRADITIONAL	TRADITIONAL
P·7CB	2° +/-	4° +/-	0.355 (TAPER)	TRADITIONAL	TRADITIONAL
P·7MB	2° +/-	4° +/-	0.355 (TAPER)	TRADITIONAL	TRADITIONAL
P·7TW	2° +/-	4° +/-	0.355 (TAPER)	TRADITIONAL	TRADITIONAL

WEDGES	LOFT ADJUSTMENTS	LIE ADJUSTMENTS	TIP
MILLED GRIND 4	2° +/-	4° +/-	0.355 (TAPER)
MILLED GRIND 4 TIGER WOODS SPECIAL EDITION GRIND	2° +/-	4° +/-	0.355 (TAPER)
HI-TOE⁴	2° +/-	4° +/-	0.355 (TAPER)

PUTTERS	LOFT ADJUSTMENTS	LIE ADJUSTMENTS
Spider TOUR SERIES	2° +/-	3° +/-

DRIVER/WY SHAFTS

HYBRID SHAFTS

IRON SHAFTS

WEDGES

PUTTERS

SWING GRIPS

PUTTER GRIPS

BUILD

JUNIOR



PROGRESSIVE VS. TRADITIONAL LENGTH IRONS

IRON LENGTH NOTIFICATION

Starting in 2009, TaylorMade has offered 2 different lengths of irons referred to as Progressive Length & Traditional Length. Each length is designed to offer the best performance for a given iron design. The Progressive length is only offered in Qi/QiHL irons. Traditional lengths are used in all player iron offerings, such as our P•700 Series irons.

WHAT IS THE DIFFERENCE BETWEEN THE LENGTHS OF IRONS?

See below the actual lengths of an iron built at Progressive and Traditional specifications.

	4 IRON	5 IRON	6 IRON	7 IRON	8 IRON	9 IRON	PW	AW	SW	LW
Progressive	39.13"	38.50"	37.88"	37.25"	36.75"	36.25"	35.75"	35.50"	35.25"	35.00"
Traditional	38.50"	38.00"	37.50"	37.00"	36.50"	36.00"	35.75"	35.50"	35.25"	35.00"

WHAT IS THE BENEFIT OF PROGRESSIVE LENGTHS?

Progressive lengths offer golfers improved distance and gapping.

WHAT IS AVAILABLE IN PROGRESSIVE AND TRADITIONAL LENGTHS?

Qi / QiHL		P•SERIES	
Progressive Length	Traditional Length	Progressive Length	Traditional Length
All Stock and Custom Shafts	Not Available	Not Available	All Stock and Custom Shafts


GAME IMPROVEMENT IRON LENGTH CHANGE NOTIFICATION

TAYLORMADE GOLF COMPANY CUSTOM DEPARTMENT NOTICE REGARDING LENGTH MEASUREMENT

ATTENTION CUSTOM FITTERS AND ACCOUNTS!

As of 11/1/18, TaylorMade has improved the way we measure and list the overall club length for our iron products. In the past, we measured overall club length using a method referred to as the “pin length.” Moving forward, we will be using the measurement method known as “ground plane.” The ground plane method is the closest method to an industry standard and is the preferred measurement method of the USGA. Our goal is to simplify the club-length measurement process and improve build accuracy by switching to the preferred USGA ruler. Now matching a customer’s existing club length will be easier than ever!

NEW GROUND PLANE MEASUREMENT METHOD



WHAT YOU NEED TO KNOW...

- Our lengths have changed slightly for the past game improvement irons (SIM2 MAX, SIM2 MAX OS, SIM MAX, SIM MAX OS, M6, M5).
- When compared to the specified club length of previous game improvement irons (STEALTH, SIM2 MAX, SIM2 MAX OS, SIM MAX, SIM MAX OS, M6, M5) appear longer in the specification table but are actually VERY similar in length to previous product (see below).
- Iron lengths are within 1/8” or less of the previous models.
- In order to keep the physical club lengths as close as possible to previous models, we rounded lengths to the nearest 1/8”. This required some irons to get slightly longer and others to get slightly shorter.

See below a table for reference. This shows the current and prior game improvement iron lengths if they were all measured on the new Ground Plane. As you can see the prior M Series Irons are within 1/8” of the physical lengths of the SIM MAX, SIM MAX OS, M6 & M5 irons.

		4	5	6	7	8	9	PW	AW
Prior M Series Product	M3, M4, MCGB Max	38.65	38.03	37.39	36.97	36.43	35.95	35.91	35.84
Latest Game Improvement Product	Qi, QiHL, SIM2 MAX, SIM2 MAX OS, SIM MAX, SIM MAX OS, M6, M5	39.13	38.50	37.88	37.25	36.75	36.25	35.75	35.50

Now that we are matching the USGA method of measurement the fitting process will be easier than ever. Rest assured this will help the accuracy of orders and custom builds moving forward. If you have any questions about this change or how to get your custom order best fit for you, please do not hesitate to call our customer service team at 1-800-888-CLUB!


P•SERIES LENGTH CHANGE NOTIFICATION

TAYLORMADE GOLF COMPANY CUSTOM DEPARTMENT NOTICE REGARDING LENGTH MEASUREMENT

ATTENTION CUSTOM FITTERS AND ACCOUNTS!

As of 11/1/18, TaylorMade has improved the way we measure and list the overall club length for our iron products. In the past, we measured overall club length using a method referred to as the “pin length.” Moving forward, we will be using the measurement method known as “ground plane.” The ground plane method is the closest method to an industry standard and is the preferred measurement method of the USGA. Our goal is to simplify the club-length measurement process and improve build accuracy by switching to the preferred USGA ruler. Now matching a customer’s existing club length will be easier than ever!

NEW GROUND PLANE MEASUREMENT METHOD



WHAT YOU NEED TO KNOW...

- Our lengths are changing slightly for latest P•Series Product (P7TW, P7MB, P7MC, P770, P790).
- When compared to the specified club length of previous P•700 series irons the new lengths appear longer, however the physical lengths are slightly shorter (see below).
- Iron lengths are within 1/8” of the previous model (AW is 1/2” different as we want the align the length with the new wedge lengths).
- We have updated our graphite shaft lengths to be the same as the steel shaft builds. This effectively makes graphite shaft club lengths 1/4” shorter than the previous generation.

See below a table for reference. This shows the current and prior P•Series iron lengths if they were all measured on the new Ground Plane. As you can see the prior P•Series Irons are 1/4” longer or less than the previous generation. (+.5” in the AW).

		3	4	5	6	7	8	9	PW	AW
Prior P•Series Models	P730, P750, P770, P790	39.13	38.63	38.13	37.63	37.13	36.63	36.13	36.00	36.00
Current P•Series Models	P7TW, P7MB, P7CB, P770, P790	39.00	38.50	38.00	37.50	37.00	36.50	36.00	35.75	35.50

HOW DO I ORDER NEW IRONS?

- If you were fit for a new iron, perfect! You don’t need to do anything except order what you were fit for.
- If you are trying to match the length of a previous P•Series set, we would recommend adjusting your club’s length by +1/4” to prevent your new irons from coming in shorter than your current build specifications.

Now that we are matching the USGA method of measurement the fitting process will be easier than ever. Rest assured this will help the accuracy of orders and custom builds moving forward. If you have any questions about this change or how to get your custom order best fit for you, please do not hesitate to call our customer service team at 1-800-888-CLUB!


WEDGE LENGTH CHANGE NOTIFICATION

TAYLORMADE GOLF COMPANY CUSTOM DEPARTMENT NOTICE REGARDING LENGTH MEASUREMENT

ATTENTION CUSTOM FITTERS AND ACCOUNTS!

As of 9/6/2019 TaylorMade has improved the way we measure the overall club length for our wedges. In November of 2018 we changed the measurement method to a 60° ground plane and we wanted to do the same for the wedges. This is in effort to continue to simplify the clubs-length measurement process and build so all products are measured the same way.

NEW GROUND PLANE MEASUREMENT METHOD



WHAT YOU NEED TO KNOW...

- The length of our new wedges would seem to be the same length as they have been in the past on paper however due to the measurement change previous wedge models are in fact +1/8" longer.
- Not all wedges have been converted over to the new measurement method. See below for details.

WEDGE	LENGTH
MG4	New Std
MG3	New Std
MG2	New Std
Hi-Toe 4	New Std
Hi-Toe RAW	New Std
Hi-Toe Bigfoot	New Std
Hi-Toe	Old std (+1/8" longer)
MG 1	Old std (+1/8" longer)

HOW DO I ORDER NEW WEDGES?

- If you were fit for your new wedges, perfect. You don't need to do anything except order what you were fit for
- If you are trying to match the length of a previous TaylorMade Wedge, we would recommend adjusting your club's length by +1/4" to prevent your new irons from coming in shorter than your current build specifications.

Now that we are matching the USGA method of measurement the fitting process will be easier than ever. Rest assured this will help the accuracy of orders and custom builds moving forward. If you have any questions about this change or how to get your custom order best fit for you, please do not hesitate to call our customer service team at 1-800-888-CLUB!

LAUNCH & SPIN

The final keys to helping a golfer gain more distance is through optimizing their launch conditions – Launch Angle and Spin Rate. To maximize distance for the golfer, the fitter should be trying to provide the highest degree of launch with the lowest spin achievable at their ball speed.

The table below shows a range of optimum launch conditions to maximize distance at varying speeds.

OPTIMIZATION CHART - DRIVER		
Ball Speed (Mph)	Launch Angle (°)	Spin (rpm)
185	10 - 14	2150 - 2800
180	10 - 14	2150 - 2800
175	10.5 - 14.5	2150 - 2850
170	10.5 - 14.5	2150 - 2850
165	10.5 - 14.5	2150 - 2850
160	11 - 15	2200 - 2850
155	11.5 - 15	2250 - 2850
150	11.5 - 15	2250 - 2850
145	12 - 16	2300 - 2900
140	12 - 16	2300 - 2900
135	12.5 - 16.5	2350 - 2950
130	12.5 - 16.5	2400 - 3000
125	13 - 17	2350 - 3050
120	13 - 17	2500 - 3100
115	13 - 17	2500 - 3100
110	13 - 17	2500 - 3100
105	13 - 17	2500 - 3100

RELATIVE LAUNCH & SPIN CONDITIONS

Fitters should also consider the swing dynamics of the golfer to understand what launch conditions are achievable. The chart below will aid fitters match up launch conditions at various swing speeds but also factoring angle of attack (AoA).

DRIVER - ANGLE OF ATTACK								
Ballspeed		-5	-3	-1	0	1	3	5
180	Launch Angle	8.5 - 10.5	9 - 11	10 - 12	10.5 - 12.5	11 - 13	11.5 - 13.5	12 - 14
	Backspin	2500 - 2900	2400 - 2800	2300 - 2700	2200 - 2600	2100 - 2500	2000 - 2400	1900 - 2300
170	Launch Angle	9 - 11	10 - 12	11 - 13	11.5 - 13.5	12 - 14	12.5 - 14.5	13 - 15
	Backspin	2600 - 3000	2500 - 2900	2400 - 2800	2300 - 2700	2200 - 2600	2100 - 2500	2000 - 2400
160	Launch Angle	10 - 12	11 - 13	11.5 - 13.5	12 - 14	13 - 15	13 - 15	14 - 16
	Backspin	2700 - 3100	2600 - 3000	2500 - 2900	2400 - 2800	2300 - 2700	2200 - 2600	2100 - 2500
150	Launch Angle	10 - 12	11 - 13	12 - 14	12.5 - 14.5	13 - 15	13 - 15	14 - 16
	Backspin	2800 - 3200	2700 - 3100	2600 - 3000	2500 - 2900	2400 - 2800	2300 - 2700	2200 - 2600
140	Launch Angle	10 - 12	11 - 13	12 - 14	12.5 - 14.5	13 - 15	14 - 16	14.5 - 16.5
	Backspin	2900 - 3300	2800 - 3200	2700 - 3100	2600 - 3000	2500 - 2900	2400 - 2800	2300 - 2700
130	Launch Angle	11 - 13	12 - 14	12.5 - 14.5	13 - 15	14 - 16	14.5 - 16.5	15 - 17
	Backspin	3000 - 3400	2900 - 3300	2800 - 3200	2700 - 3100	2600 - 3000	2500 - 2900	2400 - 2800
120	Launch Angle	12.5 - 14.5	13 - 15	13.5 - 15.5	14 - 16	14.5 - 16.5	15 - 17	15 - 17
	Backspin	3100 - 3500	3000 - 3400	2900 - 3300	2800 - 3200	2700 - 3100	2600 - 3000	2500 - 2900
110	Launch Angle	13 - 15	13.5 - 15.5	14 - 16	14.5 - 16.5	15 - 17	15 - 17	15 - 17
	Backspin	3200 - 3600	3100 - 3500	3000 - 3400	2900 - 3300	2800 - 3200	2700 - 3100	2600 - 3000
100	Launch Angle	13.5 - 15.5	14 - 16	14.5 - 16.5	14.5 - 16.5	15 - 17	15 - 17	15 - 17
	Backspin	3300 - 3700	3200 - 3600	3100 - 3500	3000 - 3400	2900 - 3300	2800 - 3200	2700 - 3100
90	Launch Angle	14 - 16	14 - 16	14.5 - 16.5	15 - 17	15 - 17	15 - 17	15 - 17
	Backspin	3400 - 3800	3300 - 3700	3200 - 3600	3100 - 3500	3000 - 3400	2900 - 3300	2800 - 3200
80	Launch Angle	14 - 16	14 - 16	14.5 - 16.5	15 - 17	15 - 17	15 - 17	15 - 17
	Backspin	3500 - 3900	3400 - 3800	3300 - 3700	3200 - 3600	3100 - 3500	3000 - 3400	2900 - 3300
70	Launch Angle	14 - 16	14 - 16	14.5 - 16.5	15 - 17	15 - 17	15 - 17	15 - 17
	Backspin	3600 - 4000	3500 - 3900	3400 - 3800	3300 - 3700	3200 - 3600	3100 - 3500	3000 - 3400


This data was created using radar-based technology. For launch monitors using optical based technology please subtract 2° from the angle of attack when referring to this table. For example: +3 on optical-based launch monitor please refer to the +1 column on the table.

IRONS						
7 IRON BALL SPEED	RANGE OF LAUNCH ANGLE	RANGE OF SPIN RATE (RPM)	EXPECTED HEAD SPEED (MPH)	EXPECTED CARRY DISTANCE (YARDS)	EXPECTED PEAK HEIGHT (YARDS)	EXPECTED LANDING ANGLE (DEGREES)
70	19.5 (21.5) 22.5	5500 (4700) 3800	51	77	10.2	32.2°
80	19.0 (20.5) 22.0	5900 (5000) 4100	58	96	13.4	34.7°
90	18.0 (19.5) 21.0	6300 (5400) 4500	66	115	17	37.6°
100	17.5 (18.5) 20.5	6800 (5800) 4900	73	134	21	40.5°
110	16.5 (18) 19.5	7100 (6200) 5200	80	151	26.2	43.9°
120	15.5 (17) 18.5	7300 (6600) 5700	88	167	30.9	46.4°
130	14.5 (16) 18.0	7900 (7000) 6000	95	181	35.8	48.7°
140	13.5 (15.5) 17.0	8100 (7300) 6400	102	195	41.7	50.9°

Higher launch and lower spin moves generally along landing angle lines. Higher launch and higher spin will increase landing angle.


DRIVER / FAIRWAY LOFT SLEEVE SETTINGS

- Each click of the 4° Loft Sleeve increases or decreases loft by 0.5 - 0.75°
- Each click of the 4° Loft Sleeve increases or decreases face angle by 1.0 – 2.0°
- Each click of the 4° Loft Sleeve increases or decreases lie angle 0.5 – 0.75°



RESCUE LOFT SLEEVE SETTINGS



- Each click of the 1.5° Loft Sleeve increases or decreases loft 0.5°
- Each click of the 1.5° Loft Sleeve increases or decreases face angle 0.25° - 1°
- Each click of the 1.5° Loft Sleeve increases or decreases lie angle 0.5°



TRAJECTORY ADJUSTMENT SYSTEM (TAS)




LENGTH	REAR WEIGHT	HEEL WEIGHT	TOE WEIGHT
> +1.75"	5g	3g	3g
+1.25 - 1.50"	8g	3g	3g
+0.5 - 1.00"	10g	3g	3g
+0.25"	11g	3g	3g
STD	13g	3g	3g
-0.25"	15g	3g	3g
-0.50"	15g	4g	4g
-0.75 - 1.25"	15g	5g	5g
-1.50"	15g	7g	7g
< -1.75"	15g	7g	7g



WEIGHTS AND BALL FLIGHT CHANGES			
LOCATION	REAR WEIGHT	HEEL WEIGHT	TOE WEIGHT
BACK	13g	3g	3g
FORWARD	3g	8g	8g
HEEL	3g	13g	3g
MID-HEEL	8g	8g	3g
TOE	3g	3g	13g
MID-TOE	8g	3g	8g

LENGTH	REAR WEIGHT	FRONT WEIGHT
+2.00"	7g	3g
+1.50 - 1.75"	8g	3g
+0.50 - 1.25"	10g	3g
+0.25"	11g	3g
STD	13g	3g
-0.25"	13g	5g
-0.25 - 0.75"	13g	5g
-1.00 - 1.25"	15g	5g
-1.5"	15g	8g
< -1.75"	15g	8g



WEIGHTS AND BALL FLIGHT CHANGES		
LOCATION	REAR WEIGHT	FRONT WEIGHT
BACK	13g	3g
FORWARD	3g	13g
MID	8g	8g

TAYLORMADE SWINGWEIGHT SYSTEM (TSS)



Qi35 TOUR FAIRWAY	Qi35 FAIRWAY	Qi35 MAX FAIRWAY	Qi35 RESCUE	Qi35 MAX RESCUE
LENGTH		WEIGHT		
> +0.5"		#1		
+0.25"		#4		
STD		#6		
-0.25"		#8		
-0.5"		#9		
> -0.75"		#11		
> -1.0"		#13		



Qi35 MAX LITE FAIRWAY	Qi35 MAX LITE RESCUE
LENGTH	WEIGHT
> +0.5"	#1
+0.25"	#2
STD	#4
-0.25"	#6
-0.5"	#8
-0.75"	#9
> -1.0"	#13

TSS WEIGHT VALUES	
TSS #01	1.5
TSS #02	2.0
TSS #04	4.1
TSS #06	5.7
TSS #08	7.5
TSS #09	9.0
TSS #11	10.5
TSS #13	12.7

DRVR/FW SHAFTS

HYBRID SHAFTS

IRON SHAFTS

WEDGES

PUTTERS

SWING GRIPS

PUTTER GRIPS

BUILD

JUNIOR



CUSTOM DRIVER / FWY SHAFT OPTIONS



AVERAGE CLUB HEAD SPEED < 72 MPH

		< STIFFER			TIP STIFFNESS			> SOFTER			
SOFTER >									PROJ X CYPHER 40 L		
										UST HELIUM NCT 4 L	
									FUJIKURA AIR SPEEDER 40 L 2025		
							MITSUBISHI VANQUISH 4 R2				
									UST HELIUM NCT 5 A		
					PROJ X CYPHER 40 A						
							FUJIKURA SPEEDER NX TCS A				
							MITSUBISHI VANQUISH 4 R		KBS MAX HL 40 R2		
HANDLE STIFFNESS											
< STIFFER											
LOW ROTATION			MEDIUM ROTATION			HIGH ROTATION					

AVERAGE CLUB HEAD SPEED 105 - 124.9 MPH

		< STIFFER			TIP STIFFNESS			> SOFTER			
SOFTER >										PROJ X CYPHER 40 L	
										FUJIKURA AIR SPEEDER 40 L	
										MITSUBISHI VANQUISH 4 R2	
										UST HELIUM NCT 5 A	
HANDLE STIFFNESS											
< STIFFER											
LOW ROTATION			MEDIUM ROTATION			HIGH ROTATION					

CUSTOM DRIVER / FWY SHAFT OPTIONS



AVERAGE CLUB HEAD SPEED 125 - 138 MPH

		< STIFFER			TIP STIFFNESS			> SOFTER		
SOFTER >										MITSUBISHI DIAMANA BB 43 A
										FUJIKURA AIR SPEEDER 50 A
					PROJ X DENALI RED 50 A		FUJIKURA VENTUS RED VC+ 5 R2			
					FUJIKURA VENTUS RED VC 5 R2					
					FUJIKURA VENTUS TR BLUE 5 R					MITSUBISHI VANQUISH 5 R
		FUJIKURA VENTUS BLUE VC+ 5 R				FUJIKURA SPEEDER NX TCS S				
									ARETERA EC1 BLUE 55 R	
									UST PROFORCE V2 6 R	
		PROJ X DENALI RED 50 R			FUJIKURA VENTUS BLUE 2025 R		PROJ X CYPHER 50 S		FUJIKURA AIR SPEEDER 50 R	UST HELIUM NCT 5 S
					FUJIKURA VENTUS RED VC+ 5 R		KBS MAX HL 50 R			
HANDLE STIFFNESS										
		MITSUBISHI KAILI BLUE DW CB 60 R					PROJ X EVENFLOW RIPTIDE CB 50 5.0			
< STIFFER										
		LOW ROTATION			MEDIUM ROTATION			HIGH ROTATION		

AVERAGE CLUB HEAD SPEED 138.1 - 152 MPH

		< STIFFER			TIP STIFFNESS			> SOFTER		
SOFTER >								FUJIKURA VENTUS BLUE VC+ 5 R		
										PROJ X DENALI RED 50 R
HANDLE STIFFNESS										
< STIFFER										
		LOW ROTATION			MEDIUM ROTATION			HIGH ROTATION		

CUSTOM DRIVER / FWY SHAFT OPTIONS



AVERAGE CLUB HEAD SPEED 152.1 - 164.9 MPH											
< STIFFER			TIP STIFFNESS				> SOFTER				
SOFTER >									FUJIKURA VENTUS TR BLUE FC 5 S	FUJIKURA VENTUS BLACK VC- 5 S	
									FUJIKURA VENTUS BLUE VC+ 6 S	MITSUBISHI KAILI WHITE DW 60 S	
								FUJIKURA VENTUS BLACK VC+ 5 X	FUJIKURA VENTUS BLUE VC+ 5 X	PROJ X HZRDUS BLACK 65 60 X	
								GD TOUR AD VF 6 S	FUJIKURA VENTUS BLUE VC 6 S	MITSUBISHI KAILI BLUE CB DW 60 X	
								FUJIKURA VENTUS BLACK VC+ 6 S	PROJ X HZRDUS BLACK 70 X		
									PROJ X DENALI BLACK 60 S	FUJIKURA VENTUS BLUE VC+ 7 S	MITSUBISHI KAILI WHITE DW 70 S
									FUJIKURA VENTUS BLUE VC+ 6 X		
									PROJ X DENALI RED 60 X	GD TOUR AD DI 7 S	
											FUJIKURA VENTUS RED VC+ 6 S
HANDLE STIFFNESS											
< STIFFER											
LOW ROTATION			MEDIUM ROTATION				HIGH ROTATION				

AVERAGE CLUB HEAD SPEED 165+ MPH										
< STIFFER			TIP STIFFNESS				> SOFTER			
SOFTER >									FUJIKURA VENTUS BLACK VC 6 S	GD TOUR AD VF 7 S
									MITSUBISHI TENISEI AV-XLINK 65 S	
										MITSUBISHI TENISEI 1K BLACK 75 S
										PROJ X DENALI BLACK 70 S
HANDLE STIFFNESS										
< STIFFER										
LOW ROTATION			MEDIUM ROTATION				HIGH ROTATION			

CUSTOM DRIVER / FWY SHAFT OPTIONS



TaylorMade will continue to offer drivers lengths of +1.75 inches, which may exceed the total 46 inch limit as defined by the USGA. Please be aware of this during your fitting sessions. If a golfer intends to purchase and use such a driver in a sanctioned competition, please alert them to the fact that it may not meet the conforming standards as defined by the USGA's Model Local Rule G-10: "In making a stroke, the player must not use a club, except for a putter, which exceeds 46 inches in length.

Advise golfers purchasing drivers at +1.75 to check local rules and/or measure their driver from the end of the grip to assure conformity prior to competing. Variables that can contribute to deviations in length measurements include grip size and/or the presence of a grip cap, such as a tracking tool.

ACCRA



MODEL	FLEX	WEIGHT	TORQUE	TIP SIZE	LAUNCH	SPIN	MAX/MIN CUSTOM LENGTH	UPCHARGE
ACCRA TZ5 65	X (M5)	62g	3.5	0.335	Low	Low	+2" / -2"	\$250.00
ACCRA TZ5 65	S (M4)	61g	3.5	0.335	Low	Low	+2" / -2"	\$250.00
ACCRA TZ5 75	X (M5)	71g	3.2	0.335	Low	Low	+2" / -2"	\$250.00
ACCRA TZ5 75	S (M4)	70g	3.2	0.335	Low	Low	+2" / -2"	\$250.00



MODEL	FLEX	WEIGHT	TORQUE	TIP SIZE	LAUNCH	SPIN	MAX/MIN CUSTOM LENGTH	UPCHARGE
ACCRA TZ6 65	X (M5)	58g	2.5	0.335	Mid	Low	+2" / -2"	\$250.00
ACCRA TZ6 65	S (M4)	56g	2.5	0.335	Mid	Low	+2" / -2"	\$250.00
ACCRA TZ6 75	X (M5)	72g	2.3	0.335	Mid	Low	+2" / -2"	\$250.00
ACCRA TZ6 75	S (M4)	71g	2.3	0.335	Mid	Low	+2" / -2"	\$250.00

ALDILA



MODEL	FLEX	WEIGHT	TORQUE	TIP SIZE	LAUNCH	SPIN	MAX/MIN CUSTOM LENGTH	UPCHARGE
ASCENT LADIES	L	47g	5.9	0.335	High	High	+1.75" / -2"	\$-

CUSTOM DRIVER / FWY SHAFT OPTIONS



ARETERA



MODEL	FLEX	WEIGHT	TORQUE	TIP SIZE	LAUNCH	SPIN	MAX/MIN CUSTOM LENGTH	UPCHARGE
EC1 BLUE 45	2-A	48	4.4	0.335	Mid-High	Mid	+2"/-2"	\$320.00
EC1 BLUE 55	3-R	58	4	0.335	Mid	Mid	+2"/-2"	\$320.00
EC1 BLUE 55	4-S	58	3.8	0.335	Mid	Mid	+2"/-2"	\$320.00
EC1 BLUE 65	5-X	69	3.4	0.335	Mid-Low	Low	+2"/-2"	\$320.00

FUJIKURA



MODEL	FLEX	WEIGHT	TORQUE	TIP SIZE	LAUNCH	SPIN	MAX/MIN CUSTOM LENGTH	UPCHARGE
SPEEDER NX TCS 40	L	49	3.6	0.335	High	Mid	+1.75" / -2"	\$-
SPEEDER NX TCS 50	A	52	3.6	0.335	High	Mid	+1.75" / -2"	\$-
SPEEDER NX TCS 50	R	53	3.6	0.335	High	Mid	+1.75" / -2"	\$-
SPEEDER NX TCS 50	S	55	3.6	0.335	High	Mid	+1.75" / -2"	\$-



MODEL	FLEX	WEIGHT	TORQUE	TIP SIZE	LAUNCH	SPIN	MAX/MIN CUSTOM LENGTH	UPCHARGE
FUJI AIRSPEEDER 50	A	51	4.6	0.335	Mid-High	Mid	+1.75" / -2"	\$-
FUJI AIRSPEEDER 50	R	52	4.6	0.335	Mid-High	Mid	+1.75" / -2"	\$-
FUJI AIRSPEEDER 50	S	53	4.4	0.335	Mid	Mid	+1.75" / -2"	\$-
FUJI AIRSPEEDER 50 FW	A	51	3.7	0.335	Mid-High	Mid	+1.75" / -2"	\$-
FUJI AIRSPEEDER 50 FW	R	52	3.7	0.335	Mid-High	Mid	+1.75" / -2"	\$-
FUJI AIRSPEEDER 50 FW	S	54	3.7	0.335	Mid-High	Mid	+1.75" / -2"	\$-



MODEL	FLEX	WEIGHT	TORQUE	TIP SIZE	LAUNCH	SPIN	MAX/MIN CUSTOM LENGTH	UPCHARGE
FUJI AIRSPEEDER 40	L	48	4.0	0.335	Mid-High	Mid	+1.75" / -2"	\$-



MODEL	FLEX	WEIGHT	TORQUE	TIP SIZE	LAUNCH	SPIN	MAX/MIN CUSTOM LENGTH	UPCHARGE
25 VENTUS BLUE	S	56	3.4	0.335	Mid	Mid	+1.75" / -2"	\$-
25 VENTUS BLUE	R	55	3.5	0.335	Mid	Mid	+1.75" / -2"	\$-
25 VENTUS BLUE	A	53	3.7	0.335	Mid	Mid	+1.75" / -2"	\$-
25 VENTUS BLUE FW 6	X	64	4.3	0.335	Mid	Mid	+1.75" / -2"	\$-
25 VENTUS BLUE FW 6	S	63	4.4	0.335	Mid	Mid	+1.75" / -2"	\$-
25 VENTUS BLUE FW 5	R	62	4.5	0.335	Mid	Mid	+1.75" / -2"	\$-
25 VENTUS BLUE FW 5	A	61	4.5	0.335	Mid	Mid	+1.75" / -2"	\$-

CUSTOM DRIVER / FWY SHAFT OPTIONS



FUJIKURA



MODEL	FLEX	WEIGHT	TORQUE	TIP SIZE	LAUNCH	SPIN	MAX/MIN CUSTOM LENGTH	UPCHARGE
VENTUS BLUE w/ VELOCORE+ 5	R	58.5	3.7	0.335	Mid	Low	+2" / -2"	\$350.00
VENTUS BLUE w/ VELOCORE+ 5	S	58.5	3.5	0.335	Mid	Low	+2" / -2"	\$350.00
VENTUS BLUE w/ VELOCORE+ 5	X	59	3.3	0.335	Mid	Low	+2" / -2"	\$350.00
VENTUS BLUE w/ VELOCORE+ 6	S	65.5	3.3	0.335	Mid	Low	+2" / -2"	\$350.00
VENTUS BLUE w/ VELOCORE+ 6	X	66	3.1	0.335	Mid	Low	+2" / -2"	\$350.00
VENTUS BLUE w/ VELOCORE+ 7	S	76	3.0	0.335	Mid	Low	+2" / -2"	\$350.00
VENTUS BLUE w/ VELOCORE+ 7	X	77	2.9	0.335	Mid	Low	+2" / -2"	\$350.00



MODEL	FLEX	WEIGHT	TORQUE	TIP SIZE	LAUNCH	SPIN	MAX/MIN CUSTOM LENGTH	UPCHARGE
VENTUS BLUE w/VELOCORE 5	R	58.5g	3.7	0.335	Mid	Low	+2"/-2"	\$350.00
VENTUS BLUE w/VELOCORE 6	S	65g	3.1	0.335	Mid	Low	+2"/-2"	\$350.00
VENTUS BLUE w/VELOCORE 6	X	65g	3.1	0.335	Mid	Low	+2"/-2"	\$350.00
VENTUS BLUE w/VELOCORE 7	S	76g	3	0.335	Mid	Low	+2"/-2"	\$350.00
VENTUS BLUE w/VELOCORE 7	X	77.5g	2.9	0.335	Mid	Low	+2"/-2"	\$350.00



MODEL	FLEX	WEIGHT	TORQUE	TIP SIZE	LAUNCH	SPIN	MAX/MIN CUSTOM LENGTH	UPCHARGE
VENTUS TR BLUE w/ VELOCORE 5	R	58g	3.5	0.335	Mid	Low	+2" / -2"	\$350.00
VENTUS TR BLUE w/ VELOCORE 5	S	58g	3.3	0.335	Mid	Low	+2" / -2"	\$350.00
VENTUS TR BLUE w/ VELOCORE 6	S	68g	3.1	0.335	Mid	Low	+2" / -2"	\$350.00
VENTUS TR BLUE w/ VELOCORE 6	X	68g	2.9	0.335	Mid	Low	+2" / -2"	\$350.00
VENTUS TR BLUE w/ VELOCORE 7	S	77.5g	2.9	0.335	Mid	Low	+2" / -2"	\$350.00
VENTUS TR BLUE w/ VELOCORE 7	X	78.5g	2.7	0.335	Mid	Low	+2" / -2"	\$350.00
VENTUS TR BLUE w/ VELOCORE 8	S	86.5g	2.8	0.335	Mid	Low	+2" / -2"	\$350.00
VENTUS TR BLUE w/ VELOCORE 8	X	88.5g	2.6	0.335	Mid	Low	+2" / -2"	\$350.00



MODEL	FLEX	WEIGHT	TORQUE	TIP SIZE	LAUNCH	SPIN	MAX/MIN CUSTOM LENGTH	UPCHARGE
VENTUS RED W/ VELOCORE + 5	A	59	3.8	0.335	Mid-High	Mid	+2"/-2"	\$350.00
VENTUS RED W/ VELOCORE + 5	R	59.5	3.6	0.335	Mid-High	Mid	+2"/-2"	\$350.00
VENTUS RED W/ VELOCORE + 5	S	59.5	3.4	0.335	Mid-High	Mid	+2"/-2"	\$350.00
VENTUS RED W/ VELOCORE + 6	S	67.5	3.3	0.335	Mid-High	Mid	+2"/-2"	\$350.00
VENTUS RED W/ VELOCORE + 6	X	67.5	3.2	0.335	Mid-High	Mid	+2"/-2"	\$350.00
VENTUS RED W/ VELOCORE + 7	S	77.5	3.1	0.335	Mid-High	Mid	+2"/-2"	\$350.00
VENTUS RED W/ VELOCORE + 7	X	78	3	0.335	Mid-High	Mid	+2"/-2"	\$350.00
VENTUS RED W/ VELOCORE + 8	X	86.5	2.8	0.335	Mid-High	Mid	+2"/-2"	\$350.00

CUSTOM DRIVER / FWY SHAFT OPTIONS



FUJIKURA



MODEL	FLEX	WEIGHT	TORQUE	TIP SIZE	LAUNCH	SPIN	MAX/MIN CUSTOM LENGTH	UPCHARGE
VENTUS RED w/ VELOCORE 5	R2	46g	3.9	0.335	Mid/High	Mid	+2" / -2"	\$350.00
VENTUS RED w/ VELOCORE 6	S	65g	3.2	0.335	Mid-High	Mid	+2" / -2"	\$350.00
VENTUS RED w/ VELOCORE 6	X	66g	3.1	0.335	Mid-High	Mid	+2" / -2"	\$350.00
VENTUS RED w/ VELOCORE 7	S	71g	3.1	0.335	Mid-High	Mid	+2" / -2"	\$350.00
VENTUS RED w/ VELOCORE 7	X	72g	3.1	0.335	Mid-High	Mid	+2" / -2"	\$350.00



MODEL	FLEX	WEIGHT	TORQUE	TIP SIZE	LAUNCH	SPIN	MAX/MIN CUSTOM LENGTH	UPCHARGE
VENTUS TR RED w/ VELOCORE 6	X	69.5g	3	0.335	Mid-High	Mid-Low	+2" / -2"	\$350.00
VENTUS TR RED w/ VELOCORE 6	S	68g	3.2	0.335	Mid-High	Mid-Low	+2" / -2"	\$350.00
VENTUS TR RED w/ VELOCORE 7	X	78g	2.8	0.335	Mid-High	Mid-Low	+2" / -2"	\$350.00
VENTUS TR RED w/ VELOCORE 7	S	77g	3	0.335	Mid-High	Mid-Low	+2" / -2"	\$350.00



MODEL	FLEX	WEIGHT	TORQUE	TIP SIZE	LAUNCH	SPIN	MAX/MIN CUSTOM LENGTH	UPCHARGE
VENTUS BLACK w/ VELOCORE+ 5	S	59.5g	3.5	0.335	Low	Low	+2"/-2"	\$350.00
VENTUS BLACK w/ VELOCORE+ 5	X	59.5g	3.3	0.335	Low	Low	+2"/-2"	\$350.00
VENTUS BLACK w/ VELOCORE + 6	S	66g	3.2	0.335	Low	Low	+2"/-2"	\$350.00
VENTUS BLACK w/ VELOCORE + 6	X	66.5g	3	0.335	Low	Low	+2"/-2"	\$350.00
VENTUS BLACK w/ VELOCORE + 7	S	75g	3	0.335	Low	Low	+2"/-2"	\$350.00
VENTUS BLACK w/ VELOCORE + 7	X	75.5g	2.9	0.335	Low	Low	+2"/-2"	\$350.00
VENTUS BLACK w/ VELOCORE + 8	X	81g	2.8	0.335	Low	Low	+2"/-2"	\$350.00



MODEL	FLEX	WEIGHT	TORQUE	TIP SIZE	LAUNCH	SPIN	MAX/MIN CUSTOM LENGTH	UPCHARGE
VENTUS BLACK w/VELOCORE 6	S	64g	3.4	0.335	Low	Low	+2"/-2"	\$350.00
VENTUS BLACK w/VELOCORE 6	X	65g	3.1	0.335	Low	Low	+2"/-2"	\$350.00
VENTUS BLACK w/VELOCORE 7	S	77g	3.1	0.335	Low	Low	+2"/-2"	\$350.00
VENTUS BLACK w/VELOCORE 7	X	78g	2.8	0.335	Low	Low	+2"/-2"	\$350.00



MODEL	FLEX	WEIGHT	TORQUE	TIP SIZE	LAUNCH	SPIN	MAX/MIN CUSTOM LENGTH	UPCHARGE
VENTUS TR BLACK w/ VELOCORE 6	X	70g	2.9	0.335	Low	Low	+2" / -2"	\$350.00
VENTUS TR BLACK w/ VELOCORE 6	S	69.5g	3.1	0.335	Low	Low	+2" / -2"	\$350.00
VENTUS TR BLACK w/ VELOCORE 7	X	80g	2.8	0.335	Low	Low	+2" / -2"	\$350.00
VENTUS TR BLACK w/ VELOCORE 7	S	79.5g	2.7	0.335	Low	Low	+2" / -2"	\$350.00

CUSTOM DRIVER / FWY SHAFT OPTIONS



GRAPHITE DESIGN



MODEL	FLEX	WEIGHT	TORQUE	TIP SIZE	LAUNCH	SPIN	MAX/MIN CUSTOM LENGTH	UPCHARGE
TOUR AD IZ 5	R	54g	4.5	0.335	High	Low	+2"/-2"	\$250.00
TOUR AD IZ 5	S	56g	4.4	0.335	High	Low	+2"/-2"	\$250.00
TOUR AD IZ 6	S	63g	3.2	0.335	High	Low	+2"/-2"	\$250.00
TOUR AD IZ 6	X	65g	3.2	0.335	High	Low	+2"/-2"	\$250.00
TOUR AD IZ 7	S	72g	3.1	0.335	High	Low	+2"/-2"	\$250.00
TOUR AD IZ 7	X	74g	3.1	0.335	High	Low	+2"/-2"	\$250.00



MODEL	FLEX	WEIGHT	TORQUE	TIP SIZE	LAUNCH	SPIN	MAX/MIN CUSTOM LENGTH	UPCHARGE
TOUR AD DI 6	S	65g	3.3	0.335	High	Low	+2"/-2"	\$250.00
TOUR AD DI 6	X	66.5g	3.3	0.335	High	Low	+2"/-2"	\$250.00
TOUR AD DI 7	S	73.5g	3.2	0.335	Mid-High	Low	+2"/-2"	\$250.00
TOUR AD DI 7	X	75g	3.1	0.335	Mid-High	Low	+2"/-2"	\$250.00



MODEL	FLEX	WEIGHT	TORQUE	TIP SIZE	LAUNCH	SPIN	MAX/MIN CUSTOM LENGTH	UPCHARGE
TOUR AD CQ 5	R1	54g	4.6	0.335	Mid-High	Mid	+2" / -2"	\$250.00
TOUR AD CQ 5	S	56g	4.5	0.335	Mid-High	Mid	+2" / -2"	\$250.00
TOUR AD CQ 6	X	66g	3.4	0.335	Mid-High	Mid	+2" / -2"	\$250.00
TOUR AD CQ 6	S	64g	3.4	0.335	Mid-High	Mid	+2" / -2"	\$250.00
TOUR AD CQ 7	X	74g	3.2	0.335	Mid-High	Mid	+2" / -2"	\$250.00
TOUR AD CQ 7	S	73g	3.2	0.335	Mid-High	Mid	+2" / -2"	\$250.00



MODEL	FLEX	WEIGHT	TORQUE	TIP SIZE	LAUNCH	SPIN	MAX/MIN CUSTOM LENGTH	UPCHARGE
TOUR AD GC 5	S	53g	4.5	0.335	Mid	Mid-Low	+2"/-2"	\$250.00
TOUR AD GC 6	S	62g	3.1	0.335	Mid	Mid-Low	+2"/-2"	\$250.00
TOUR AD GC 6	X	65.5g	3.1	0.335	Mid	Mid-Low	+2"/-2"	\$250.00

DRVR/FWY SHAFTS

HYBRID SHAFTS

IRON SHAFTS

WEDGES

PUTTERS

SWING GRIPS

PUTTER GRIPS

BUILD

JUNIOR



CUSTOM DRIVER / FWY SHAFT OPTIONS




GRAPHITE DESIGN



MODEL	FLEX	WEIGHT	TORQUE	TIP SIZE	LAUNCH	SPIN	MAX/MIN CUSTOM LENGTH	UPCHARGE
TOUR AD VF 5	S	56.5g	4.3	0.335	Mid-Low	Low	+2"/-2"	\$250.00
TOUR AD VF 5	X	59g	4.3	0.335	Mid-Low	Low	+2"/-2"	\$250.00
TOUR AD VF 6	S	66g	3.3	0.335	Low/Mid	Low	+2"/-2"	\$250.00
TOUR AD VF 6	X	67g	3.3	0.335	Low/Mid	Low	+2"/-2"	\$250.00
TOUR AD VF 7	S	74g	3.0	0.335	Low/Mid	Low	+2"/-2"	\$250.00
TOUR AD VF 7	X	75.5g	3.0	0.335	Low/Mid	Low	+2"/-2"	\$250.00
TOUR AD VF 8	X	85g	2.8	0.335	Mid-Low	Low	+2"/-2"	\$250.00

KBS



MODEL	FLEX	WEIGHT	TORQUE	TIP SIZE	LAUNCH	SPIN	MAX/MIN CUSTOM LENGTH	UPCHARGE
MAX HL 40	A	40g	5.7	0.335	High	High	+2"/-2"	\$50.00
MAX HL 42	R	42g	5.6	0.335	High	High	+2"/-2"	\$50.00
MAX HL 50	R	50g	5.4	0.335	High	Mid-High	+2"/-2"	\$50.00
MAX HL 52	S	52g	5.3	0.335	High	Mid-High	+2"/-2"	\$50.00

CUSTOM DRIVER / FWY SHAFT OPTIONS



MCA



MODEL	FLEX	WEIGHT	TORQUE	TIP SIZE	LAUNCH	SPIN	MAX/MIN CUSTOM LENGTH	UPCHARGE
DIAMANA T+ 60	R	64g	4.7	0.335	Mid	Mid-Low	+0.5" / -2"	\$-
DIAMANA T+ 60	S	68g	4.6	0.335	Mid	Mid-Low	+0.5" / -2"	\$-
DIAMANA T+ 60	X	70g	4.5	0.335	Mid	Mid-Low	+0.5" / -2"	\$-



MODEL	FLEX	WEIGHT	TORQUE	TIP SIZE	LAUNCH	SPIN	MAX/MIN CUSTOM LENGTH	UPCHARGE
DIAMANA BB 43	A	44g	5.1	0.335	Mid	Mid	+2" / -2"	\$350.00
DIAMANA BB 53	R	50g	5.1	0.335	Mid	Mid	+2" / -2"	\$350.00
DIAMANA BB 53	S	54g	4.9	0.335	Mid	Mid	+2" / -2"	\$350.00
DIAMANA BB 63	S	61g	3.2	0.335	Mid	Mid	+2" / -2"	\$350.00
DIAMANA BB 63	X	62g	3.2	0.335	Mid	Mid	+2" / -2"	\$350.00
DIAMANA BB 73	S	70g	2.9	0.335	Mid	Mid	+2" / -2"	\$350.00
DIAMANA BB 73	X	71g	2.9	0.335	Mid	Mid	+2" / -2"	\$350.00



MODEL	FLEX	WEIGHT	TORQUE	TIP SIZE	LAUNCH	SPIN	MAX/MIN CUSTOM LENGTH	UPCHARGE
DIAMANA WB 53	S	54g	4.6	0.335	Low	Low	+2" / -2"	\$350.00
DIAMANA WB 63	S	62g	3.1	0.335	Low	Low	+2" / -2"	\$350.00
DIAMANA WB 63	X	63g	3.1	0.335	Low	Low	+2" / -2"	\$350.00
DIAMANA WB 73	S	70g	2.9	0.335	Low	Low	+2" / -2"	\$350.00
DIAMANA WB 73	X	72g	2.9	0.335	Low	Low	+2" / -2"	\$350.00
DIAMANA WB 83	X	83g	2.7	0.335	Low	Low	+2" / -2"	\$350.00



MODEL	FLEX	WEIGHT	TORQUE	TIP SIZE	LAUNCH	SPIN	MAX/MIN CUSTOM LENGTH	UPCHARGE
TENSEI AV LIMITED BLACK 65	S	68g	3.5	0.335	Low	Low	+0.5" / -2"	\$-
TENSEI AV LIMITED BLACK 65	X	69g	3.4	0.335	Low	Low	+0.5" / -2"	\$-



MODEL	FLEX	WEIGHT	TORQUE	TIP SIZE	LAUNCH	SPIN	MAX/MIN CUSTOM LENGTH	UPCHARGE
TENSEI AV LIMITED BLUE 65	R	66g	4.4	0.335	Mid	Mid-Low	+0.5" / -2"	\$-
TENSEI AV LIMITED BLUE 65	S	68g	3.9	0.335	Mid	Mid-Low	+0.5" / -2"	\$-
TENSEI AV LIMITED BLUE 65	X	69g	3.4	0.335	Mid	Mid-Low	+0.5" / -2"	\$-
TENSEI AV LIMITED BLUE 65 FW	R	73g	4.2	0.335	Mid	Mid-Low	+2" / -2"	\$-
TENSEI AV LIMITED BLUE 75 FW	S	76g	4.2	0.335	Mid	Mid-Low	+2" / -2"	\$-
TENSEI AV LIMITED BLUE 75 FW	X	78g	4.1	0.335	Mid	Mid-Low	+2" / -2"	\$-

CUSTOM DRIVER / FWY SHAFT OPTIONS



MCA



MODEL	FLEX	WEIGHT	TORQUE	TIP SIZE	LAUNCH	SPIN	MAX/MIN CUSTOM LENGTH	UPCHARGE
DIAMANA S+ 60	S	68g	4.6	0.335	Mid	Mid	+0.5" / -2"	\$-
DIAMANA S+ 60	R	64.5g	4.7	0.335	Mid	Mid	+0.5" / -2"	\$-



MODEL	FLEX	WEIGHT	TORQUE	TIP SIZE	LAUNCH	SPIN	MAX/MIN CUSTOM LENGTH	UPCHARGE
KAI'LI RED 60	X	68.5g	4.1	0.335	High	Mid	+2" / -2"	\$-
KAI'LI RED 60	S	66.5g	4.2	0.335	High	Mid	+2" / -2"	\$-
KAI'LI RED 60	R	64.5g	4.3	0.335	High	Mid	+2" / -2"	\$-
KAI'LI RED 75 FW	X	78.6g	4.2	0.335	High	Mid	+2" / -2"	\$-
KAI'LI RED 75 FW	S	76.5g	4.2	0.335	High	Mid	+2" / -2"	\$-



MODEL	FLEX	WEIGHT	TORQUE	TIP SIZE	LAUNCH	SPIN	MAX/MIN CUSTOM LENGTH	UPCHARGE
KAI'LI BLUE 70	X	74g	3.8	0.335	Mid	Mid	+2" / -2"	\$-
KAI'LI BLUE 70	S	72g	3.8	0.335	Mid	Mid	+2" / -2"	\$-



MODEL	FLEX	WEIGHT	TORQUE	TIP SIZE	LAUNCH	SPIN	MAX/MIN CUSTOM LENGTH	UPCHARGE
KAI'LI WHITE 60	S	68g	4.1	0.335	Low	Low	+2" / -2"	\$-
KAI'LI WHITE 60	X	69g	4.1	0.335	Low	Low	+2" / -2"	\$-
KAI'LI WHITE 70	S	75g	3.8	0.335	Low	Low	+2" / -2"	\$-
KAI'LI WHITE 70	X	77g	3.7	0.335	Low	Low	+2" / -2"	\$-

DRIVER/FWY SHAFTS

HYBRID SHAFTS

IRON SHAFTS

WEDGES

PUTTERS

SWING GRIPS

PUTTER GRIPS

BUILD

JUNIOR



CUSTOM DRIVER / FWY SHAFT OPTIONS



MCA



MODEL	FLEX	WEIGHT	TORQUE	TIP SIZE	LAUNCH	SPIN	MAX/MIN CUSTOM LENGTH	UPCHARGE
KAI'LI BLUE CB 60 DW	X	63.5g	4.1	0.335	Mid	Mid-Low	+1.75" / -2"	\$-
KAI'LI BLUE CB 60 DW	S	61.5g	4.1	0.335	Mid	Mid-Low	+1.75" / -2"	\$-
KAI'LI BLUE CB 60 DW	R	59.5g	4.2	0.335	Mid	Mid-Low	+1.75" / -2"	\$-
KAI'LI BLUE FW 75 DW	X	78.5g	4.1	0.335	Mid	Mid	+1.75" / -2"	\$-
KAI'LI BLUE FW 75 DW	S	76.5g	4.2	0.335	Mid	Mid	+1.75" / -2"	\$-
KAI'LI BLUE FW 65 DW	R	73.5g	4.2	0.335	Mid	Mid	+1.75" / -2"	\$-



MODEL	FLEX	WEIGHT	TORQUE	TIP SIZE	LAUNCH	SPIN	MAX/MIN CUSTOM LENGTH	UPCHARGE
KAI'LI WHITE DW 60	X	69g	4.1	0.335	Low	Low	+1.75" / -2"	\$-
KAI'LI WHITE DW 60	S	68g	4.1	0.335	Low	Low	+1.75" / -2"	\$-
KAI'LI WHITE DW 70	S	75g	3.8	0.335	Low	Low	+1.75" / -2"	\$-
KAI'LI WHITE DW 70	X	77g	3.7	0.335	Low	Low	+1.75" / -2"	\$-

DRIVER/FWY SHAFTS

HYBRID SHAFTS

IRON SHAFTS

WEDGES

PUTTERS

SWING GRIPS

PUTTER GRIPS

BUILD


JUNIOR




CUSTOM DRIVER / FWY SHAFT OPTIONS




MCA



MODEL	FLEX	WEIGHT	TORQUE	TIP SIZE	LAUNCH	SPIN	MAX/MIN CUSTOM LENGTH	UPCHARGE
TENSEI AV SERIES WHITE WITH XLINK	X	69g	3.4	0.335	Low	Low	+2" / -2"	\$50.00
TENSEI AV SERIES WHITE WITH XLINK	S	68g	3.5	0.335	Low	Low	+2" / -2"	\$50.00
TENSEI AV SERIES WHITE WITH XLINK	S	78g	3.2	0.335	Low	Low	+2" / -2"	\$50.00




MODEL	FLEX	WEIGHT	TORQUE	TIP SIZE	LAUNCH	SPIN	MAX/MIN CUSTOM LENGTH	UPCHARGE
TENSEI 1K BLK 65	S	67g	3.6	0.335	Low	Low	+2"/-2"	\$-
TENSEI 1K BLK 65	X	68g	3.5	0.335	Low	Low	+2"/-2"	\$-
TENSEI 1K BLK 75	S	78g	3.6	0.335	Low	Low	+2"/-2"	\$-
TENSEI 1K BLK 75	X	79g	3.5	0.335	Low	Low	+2"/-2"	\$-
TENSEI 1K BLK 85	S	89g	3.2	0.335	Low	Low	+2"/-2"	\$-
TENSEI 1K BLK 85	X	90g	3.2	0.335	Low	Low	+2"/-2"	\$-




MODEL	FLEX	WEIGHT	TORQUE	TIP SIZE	LAUNCH	SPIN	MAX/MIN CUSTOM LENGTH	UPCHARGE
VANQUISH 4	R2-A	43.5g	6.8	0.335	High	Mid	+1.75" / -2"	\$50.00
VANQUISH 4	R	44.5g	6.7	0.335	High	Mid	+1.75" / -2"	\$50.00
VANQUISH 5	R	54.5g	5.7	0.335	High	Mid	+1.75" / -2"	\$50.00
VANQUISH 5	S	57.5g	5.6	0.335	High	Mid	+1.75" / -2"	\$50.00

PROJECT X



MODEL	FLEX	WEIGHT	TORQUE	TIP SIZE	LAUNCH	SPIN	MAX/MIN CUSTOM LENGTH	UPCHARGE
CYPHER 40	4.0 (L)	47g	6	0.335	High	High	+2"/-2"	\$-
CYPHER 40	5.0 (A)	47g	5.5	0.335	High	High	+2"/-2"	\$-
CYPHER 50	5.5 (R)	55g	4.3	0.335	High	High	+2"/-2"	\$-
CYPHER 50	6.0 (S)	56g	4.2	0.335	High	High	+2"/-2"	\$-



MODEL	FLEX	WEIGHT	TORQUE	TIP SIZE	LAUNCH	SPIN	MAX/MIN CUSTOM LENGTH	UPCHARGE
HZRDUS BLACK 70	6.5 (X)	70g	3.1	0.335	Low	Low	+2" / -2"	\$-
HZRDUS BLACK 70	6.0 (S)	68g	3.3	0.335	Low	Low	+2" / -2"	\$-
HZRDUS BLACK 80	6.5 (X)	82g	2.4	0.335	Low	Low	+2" / -2"	\$-
HZRDUS BLACK 80	6.0 (S)	80g	2.9	0.335	Low	Low	+2" / -2"	\$-

CUSTOM DRIVER / FWY SHAFT OPTIONS



PROJECT X



MODEL	FLEX	WEIGHT	TORQUE	TIP SIZE	LAUNCH	SPIN	MAX/MIN CUSTOM LENGTH	UPCHARGE
HZRDUS SMOKE RDX RED 60	6.0 (S)	60g	3.5	0.335	Mid	Mid	+2" / -2"	\$-
HZRDUS SMOKE RDX RED 60	6.5 (X)	60g	3.5	0.335	Mid	Mid	+2" / -2"	\$-



MODEL	FLEX	WEIGHT	TORQUE	TIP SIZE	LAUNCH	SPIN	MAX/MIN CUSTOM LENGTH	UPCHARGE
HZRDUS BLK G5 60	6.0 (S)	65g	3.2	0.335	Low	Low	+2" / -2"	\$50.00
HZRDUS BLK G5 60	6.5 (X)	66g	3	0.335	Low	Low	+2" / -2"	\$50.00
HZRDUS BLK G5 70	6.0 (S)	72g	3.1	0.335	Low	Low	+2" / -2"	\$50.00
HZRDUS BLK G5 70	6.5 (X)	74g	2.9	0.335	Low	Low	+2" / -2"	\$50.00
HZRDUS BLK G5 80	6.0 (S)	80g	3	0.335	Low	Low	+2" / -2"	\$50.00
HZRDUS BLK G5 80	6.5 (X)	81g	2.8	0.335	Low	Low	+2" / -2"	\$50.00



MODEL	FLEX	WEIGHT	TORQUE	TIP SIZE	LAUNCH	SPIN	MAX/MIN CUSTOM LENGTH	UPCHARGE
EVENFLOW RIPTIDE 60	6.0 (S)	62g	4.4	0.335	Mid	Mid	+2" / -2"	\$50.00
EVENFLOW RIPTIDE 60	6.5 (X)	63g	4.4	0.335	Mid	Mid	+2" / -2"	\$50.00
EVENFLOW RIPTIDE 70	6.5 (X)	71g	4	0.335	Mid	Mid	+2" / -2"	\$50.00



MODEL	FLEX	WEIGHT	TORQUE	TIP SIZE	LAUNCH	SPIN	MAX/MIN CUSTOM LENGTH	UPCHARGE
EVENFLOW RIPTIDE CB 40	4.0 (L)	45g	5.5	0.335	Mid	Mid	+2" / -2"	\$50.00
EVENFLOW RIPTIDE CB 40	5.0 (A)	45g	5	0.335	Mid	Mid	+2" / -2"	\$50.00
EVENFLOW RIPTIDE CB 50	5.0 (A)	52g	5.1	0.335	Mid	Mid	+2" / -2"	\$50.00
EVENFLOW RIPTIDE CB 50	5.5 (R)	54g	5.1	0.335	Mid	Mid	+2" / -2"	\$50.00
EVENFLOW RIPTIDE CB 60	5.5 (R)	62g	4	0.335	Mid	Mid	+2" / -2"	\$50.00
EVENFLOW RIPTIDE CB 60	6.0 (S)	62g	3.9	0.335	Mid	Mid	+2" / -2"	\$50.00

DRIVER/FWY SHAFTS

HYBRID SHAFTS

IRON SHAFTS

WEDGES

PUTTERS

SWING GRIPS

PUTTER GRIPS

BUILD

JUNIOR



CUSTOM DRIVER / FWY SHAFT OPTIONS



PROJECT X



MODEL	FLEX	WEIGHT	TORQUE	TIP SIZE	LAUNCH	SPIN	MAX/MIN CUSTOM LENGTH	UPCHARGE
DENALI BLUE 60	6.0	65	3.7	0.335	Mid	Mid	+2" / -2"	\$50.00
DENALI BLUE 60	6.5	65	3.5	0.335	Mid	Mid	+2" / -2"	\$50.00
DENALI BLUE 70	6.0	73	3.1	0.335	Mid	Mid	+2" / -2"	\$50.00
DENALI BLUE 70	6.5	73	3	0.335	Mid	Mid	+2" / -2"	\$50.00



MODEL	FLEX	WEIGHT	TORQUE	TIP SIZE	LAUNCH	SPIN	MAX/MIN CUSTOM LENGTH	UPCHARGE
DENALI BLACK 60	6.0	65	3.9	0.335	Mid	Mid	+2" / -2"	\$50.00
DENALI BLACK 60	6.5	69	3.7	0.335	Mid	Mid	+2" / -2"	\$50.00
DENALI BLACK 70	6.0	75	3.6	0.335	Low	Low	+2" / -2"	\$50.00
DENALI BLACK 70	6.5	76	3.2	0.335	Low	Low	+2" / -2"	\$50.00



MODEL	FLEX	WEIGHT	TORQUE	TIP SIZE	LAUNCH	SPIN	MAX/MIN CUSTOM LENGTH	UPCHARGE
DENALI RED 40	4.0 (L)	48g	6.2	0.335	High	High	+2"/-2"	\$-
DENALI RED 50	5.0 (A)	52g	5.9	0.335	High	High	+2"/-2"	\$-
DENALI RED 50	5.5 (R)	53g	5.4	0.335	High	High	+2"/-2"	\$-
DENALI RED 60	6.0 (S)	60g	4	0.335	High	High	+2"/-2"	\$-
DENALI RED 60	6.5 (X)	62g	3.8	0.335	High	High	+2"/-2"	\$-

UST



MODEL	FLEX	WEIGHT	TORQUE	TIP SIZE	LAUNCH	SPIN	MAX/MIN CUSTOM LENGTH	UPCHARGE
LINQ M40X BLUE 6F4	F4 (S)	65g	4.8	0.335	Mid	Low	+2" / -2"	\$150.00
LINQ M40X BLUE 6F5	F5 (X)	67g	4.7	0.335	Mid	Low	+2" / -2"	\$150.00
LINQ M40X BLUE 7F4	F4 (S)	74g	4.1	0.335	Mid	Low	+2" / -2"	\$150.00
LINQ M40X BLUE 7F5	F5 (X)	76g	4.1	0.335	Mid	Low	+2" / -2"	\$150.00



MODEL	FLEX	WEIGHT	TORQUE	TIP SIZE	LAUNCH	SPIN	MAX/MIN CUSTOM LENGTH	UPCHARGE
LINQ M40X RED 6F4	F4 (S)	66g	5	0.335	Mid-High	Mid	+2" / -2"	\$150.00
LINQ M40X RED 6F5	F5 (X)	67g	4.9	0.335	Mid-High	Mid	+2" / -2"	\$150.00
LINQ M40X RED 7F4	F4 (S)	74g	4.1	0.335	Mid-High	Mid	+2" / -2"	\$150.00
LINQ M40X RED 7F5	F3 (R)	74g	4.1	0.335	Mid-High	Mid	+2" / -2"	\$150.00

CUSTOM DRIVER / FWY SHAFT OPTIONS



UST



MODEL	FLEX	WEIGHT	TORQUE	TIP SIZE	LAUNCH	SPIN	MAX/MIN CUSTOM LENGTH	UPCHARGE
LIN-Q M40X WHITE 6	F5 (X)	67g	4.8	0.335	Low-Mid	Low	+2" / -2"	\$150.00
LIN-Q M40X WHITE 7	F4 (S)	75g	4.1	0.335	Low-Mid	Low	+2" / -2"	\$150.00



MODEL	FLEX	WEIGHT	TORQUE	TIP SIZE	LAUNCH	SPIN	MAX/MIN CUSTOM LENGTH	UPCHARGE
HELIUM NANOCORE 4	F1 (L)	43g	6.3	0.335	High	Mid-High	+2" / -2"	\$50.00
HELIUM NANOCORE 5	F2 (A)	45g	6.3	0.335	High	Mid-High	+2" / -2"	\$50.00
HELIUM NANOCORE 5	F3 (R)	55g	5.7	0.335	High	Mid-High	+2" / -2"	\$50.00
HELIUM NANOCORE 5	F4 (S)	56g	5.7	0.335	High	Mid-High	+2" / -2"	\$50.00



MODEL	FLEX	WEIGHT	TORQUE	TIP SIZE	LAUNCH	SPIN	MAX/MIN CUSTOM LENGTH	UPCHARGE
25 PROFORCE V2 6	F3 (R)	65g	3	0.335	Mid	Mid-Low	+2" / -2"	\$50.00
25 PROFORCE V2 6	F4 (S)	66g	3	0.335	Mid	Mid-Low	+2" / -2"	\$50.00
25 PROFORCE V2 7	F4 (S)	76g	2.2	0.335	Mid	Low	+2" / -2"	\$50.00
25 PROFORCE V2 7	F5 (X)	76g	2.2	0.335	Mid	Low	+2" / -2"	\$50.00



MODEL	FLEX	WEIGHT	TORQUE	TIP SIZE	LAUNCH	SPIN	MAX/MIN CUSTOM LENGTH	UPCHARGE
HELIUM NCT 4	L	44g	6.2	0.335	High	Mid-High	+2" / -2"	\$50.00
HELIUM NCT 5	A	52g	6	0.335	High	Mid-High	+2" / -2"	\$50.00
HELIUM NCT 5	R	54g	6	0.335	High	Mid-High	+2" / -2"	\$50.00
HELIUM NCT 5	S	56g	6	0.335	High	Mid-High	+2" / -2"	\$50.00

DRIVER/FWY SHAFTS

HYBRID SHAFTS

IRON SHAFTS

WEDGES

PUTTERS

SWING GRIPS

PUTTER GRIPS

BUILD

JUNIOR



CUSTOM HYBRID SHAFT OPTIONS



		LAUNCH						
		LOW	LOW-MID	MID	MID-HIGH	HIGH		
SPIN	HIGH			FUJIKURA SPEEDERNX TCS		ALDILA NV 45 (L)		
						KBS MAX HL HY 40		
						KBS MAX GRAPHITE (S, R, A, L) S		
						KBS MAX MT (S, R)		
						ALDILA ASCENT (L)		
						UST RECOIL ESX (A, L) S		
						MCA BASSARA E55 HY (A) SS		
						FUJIKURA SPEEDERNX TCS (L)		
						KBS MAX HL HY 50/60		
		SPIN	MID-HIGH			UST RECOIL ESX (S, R) S	MCA VANQUISH 50 HY (R2-A, R)	
				FUJIKURA VENTUS TR RED HB 5 (A) 6 (R) 7 (S)	FUJIKURA AIR SPEEDER HY 45(L), 50 (A,R,S)			
					MCA BASSARA E60 HY (R) SS			
					MCA BASSARA E60 HY (R) SS			
					UST PROFORCE V2 HL 6 (S, R) 5 (A, L) SS			
	AEROTECH STEELFIBER 195 (S, R) SS				KBS TOUR PROTO HY 95 (X) 85 (S) SSS	UST PROFORCE V2 HYBRID (X, S, R) SS		
				KBS TOUR (S)	FUJIKURA VENTUS RED 7 (S) 6 (R) 5 (A)			
				HZRDS SMOKE RED RDX HY 80 (6.5, 6.0) 70 (5.5)				
				PROJECT X EVENFLOW RIPTIDE 80 HY (6.5, 6.0) SS				
				UST RECOIL DART 75 (S) 65 (R, A) 90 (S, R) S				
SPIN	MID			STEELFIBER 170 (S, R) 180 (S, R) SS				
				FUJIKURA VENTUS TR BLUE HY 5A/6R/7S				
				FUJIKURA 25 VENTUS BLUE HY 5A/6R/7S				
			PROJECT X (6.5, 6.0, 5.5)		GRAPHITE DESIGN DI 85 HY (X, S) SSSS			
					MCA TENSEI AV LIMITEDBLUE HY			
		SPIN	LOW	KBS C TAPER (X, S)	TOUR AD VF 75 (R,S) SSSS	MCA KAILI BLUE HB 85 (S)/95 (X)		KEY
				TRUE TEMPER DYNAMIC GOLD (X100, S300)	TOUR AD VF 85 (S) SSSS	GRAPHITE DESIGN IZ 75 HY (R) 85 (X, S) SSSS		RETAIL UPCHARGE
				MCA KAI'LI WHITE 90 HY (X, S)	TOUR AD VF 95 (S, X) SSSS	FUJIKURA VENTUS BLUE W/ VELOCORE HY 90 (X) 80 (S) 70 (S, R) 60 (R) SSSS		S - \$15
				PROJECT X HZRDS BLACK 65 80 HY (S) 90 (X)				SS - \$50
				MCA TENSEI 1K BLK HY 85/95				SSS - \$100
FUJIKURA VENTUS BLACK W/ VELOCORE HY 90 (TX) 100 (TX) SSSS						SSSS - \$150		

DRIVER/WY SHAFTS

HYBRID SHAFTS

IRON SHAFTS

WEDGES

PUTTERS

SWING GRIPS

PUTTER GRIPS

BUILD

JUNIOR



CUSTOM HYBRID SHAFT OPTIONS



AEROTECH



MODEL	FLEX	WEIGHT	TORQUE	TIP SIZE	LAUNCH	SPIN	MAX/MIN CUSTOM LENGTH	UPCHARGE
STEELFIBER i95	R	95g	2.5	0.370	Low	Mid	+1" / -2"	\$50.00
STEELFIBER i95	S	95g	2.4	0.370	Low	Mid	+1" / -2"	\$50.00
STEELFIBER i80	S	85g	2.9	0.370	Mid	Mid	+1" / -2"	\$50.00
STEELFIBER i80	R	85g	2.9	0.370	Mid	Mid	+1" / -2"	\$50.00
STEELFIBER i70	S	74g	3.0	0.370	Mid	Mid	+1" / -2"	\$50.00
STEELFIBER i70	R	74g	3.3	0.370	Mid	Mid	+1" / -2"	\$50.00

ALDILA



MODEL	FLEX	WEIGHT	TORQUE	TIP SIZE	LAUNCH	SPIN	MAX/MIN CUSTOM LENGTH	UPCHARGE
ASCENT BLACK 55	A	59.5g	4.4	0.370	Mid-Low	Mid-Low	+2" / -2"	\$-
ASCENT BLACK 65	R	69.5g	4.0	0.370	Mid-Low	Mid-Low	+2" / -2"	\$-
ASCENT BLACK 75	S	80g	3.4	0.370	Mid-Low	Mid-Low	+2" / -2"	\$-
ASCENT BLACK 90	S	96.5g	3.0	0.370	Mid-Low	Low	+2" / -2"	\$-
ASCENT BLACK 100	X	109.5g	2.8	0.370	Mid-Low	Low	+2" / -2"	\$-



MODEL	FLEX	WEIGHT	TORQUE	TIP SIZE	LAUNCH	SPIN	MAX/MIN CUSTOM LENGTH	UPCHARGE
ASCENT LADIES	L	46g	4.1	0.370	High	High	+1.75" / -2"	\$-

FUJIKURA



MODEL	FLEX	WEIGHT	TORQUE	TIP SIZE	LAUNCH	SPIN	MAX/MIN CUSTOM LENGTH	UPCHARGE
SPEEDER NX TCS 40	L	49g	3.2	0.370	High	Mid	+1.75" / -2"	\$-
SPEEDER NX TCS 50	A	55g	3.0	0.370	High	Mid	+1.75" / -2"	\$-
SPEEDER NX TCS 50	R	57g	2.8	0.370	High	Mid	+1.75" / -2"	\$-
SPEEDER NX TCS 50	S	59g	2.7	0.370	High	Mid	+1.75" / -2"	\$-

CUSTOM HYBRID SHAFT OPTIONS



FUJIKURA



MODEL	FLEX	WEIGHT	TORQUE	TIP SIZE	LAUNCH	SPIN	MAX/MIN CUSTOM LENGTH	UPCHARGE
AIRSPEDER 50	S	58g	2.8	0.370	Mid-High	Mid	+1.75" / -2"	\$-
AIRSPEDER 50	R	56g	2.9	0.370	Mid-High	Mid	+1.75" / -2"	\$-
AIRSPEDER 50	A	54g	3.1	0.370	Mid-High	Mid	+1.75" / -2"	\$-



MODEL	FLEX	WEIGHT	TORQUE	TIP SIZE	LAUNCH	SPIN	MAX/MIN CUSTOM LENGTH	UPCHARGE
AIRSPEDER 45	L	48g	3.3	0.370	Mid-High	Mid	+1.75" / -2"	\$-



MODEL	FLEX	WEIGHT	TORQUE	TIP SIZE	LAUNCH	SPIN	MAX/MIN CUSTOM LENGTH	UPCHARGE
VENTUS BLUE HB '25 7	A	58g	3.3	0.370	Mid	Mid	+1.75" / -2"	\$-
VENTUS BLUE HB '25 6	R	68g	3.1	0.370	Mid	Mid	+1.75" / -2"	\$-
VENTUS BLUE HB '25 5	S	76g	2.7	0.370	Mid	Mid	+1.75" / -2"	\$-



MODEL	FLEX	WEIGHT	TORQUE	TIP SIZE	LAUNCH	SPIN	MAX/MIN CUSTOM LENGTH	UPCHARGE
VENTUS TR BLUE HY 5	A	57g	3.4	0.370	Mid	Mid	+1.75" / -2"	\$-
VENTUS TR BLUE HY 6	R	67g	3.2	0.370	Mid	Mid	+1.75" / -2"	\$-
VENTUS TR BLUE HY 7	S	76g	2.8	0.370	Mid	Mid	+1.75" / -2"	\$-



MODEL	FLEX	WEIGHT	TORQUE	TIP SIZE	LAUNCH	SPIN	MAX/MIN CUSTOM LENGTH	UPCHARGE
VENTUS BLUE w/ VELOCORE 60 HY	R	66g	3.2	0.370	MID	MID-LOW	+2" / -2"	\$150.00
VENTUS BLUE w/ VELOCORE 70 HY	R	74g	2.8	0.370	MID	MID-LOW	+2" / -2"	\$150.00
VENTUS BLUE w/ VELOCORE 70 HY	S	75g	2.6	0.370	MID	MID-LOW	+2" / -2"	\$150.00
VENTUS BLUE w/ VELOCORE 80 HY	S	86g	2.4	0.370	MID	LOW	+2" / -2"	\$150.00
VENTUS BLUE w/ VELOCORE 90 HY	X	94g	2.0	0.370	MID	LOW	+2" / -2"	\$150.00



MODEL	FLEX	WEIGHT	TORQUE	TIP SIZE	LAUNCH	SPIN	MAX/MIN CUSTOM LENGTH	UPCHARGE
VENTUS BLACK W/ VELOCORE HB 9	TX	96g	2.0	0.370	Low	Low	+2"/-2"	\$150.00
VENTUS BLACK W/ VELOCORE HB 10	TX	105g	1.8	0.370	Low	Low	+2"/-2"	\$150.00

DRIVER/WY SHAFTS

HYBRID SHAFTS

IRON SHAFTS

WEDGES

PUTTERS

SWING GRIPS

PUTTER GRIPS

BUILD

JUNIOR



CUSTOM HYBRID SHAFT OPTIONS



GRAPHITE DESIGN



MODEL	FLEX	WEIGHT	TORQUE	TIP SIZE	LAUNCH	SPIN	MAX/MIN CUSTOM LENGTH	UPCHARGE
TOUR AD DI 85 HYBRID	S	88g	2.4	0.370	Mid	Mid-Low	+2" / -2"	\$150.00
TOUR AD DI 85 HYBRID	X	88g	2.4	0.370	Mid	Mid-Low	+2" / -2"	\$150.00



MODEL	FLEX	WEIGHT	TORQUE	TIP SIZE	LAUNCH	SPIN	MAX/MIN CUSTOM LENGTH	UPCHARGE
TOUR AD IZ 85 HYBRID	S	86g	2.4	0.370	Mid	Low	+2" / -2"	\$150.00
TOUR AD IZ 85 HYBRID	X	88g	2.4	0.370	Mid	Low	+2" / -2"	\$150.00
TOUR AD IZ 75 HYBRID	R	76g	3.1	0.370	Mid	Low	+2" / -2"	\$150.00



MODEL	FLEX	WEIGHT	TORQUE	TIP SIZE	LAUNCH	SPIN	MAX/MIN CUSTOM LENGTH	UPCHARGE
TOUR AD VF HY 75	R	76g	3.0	0.370	Low-Mid	Low	+2"/-2"	\$150.00
TOUR AD VF HY 75	S	76.5g	3.0	0.370	Low-Mid	Low	+2"/-2"	\$150.00
TOUR AD VF HY 85	S	86.5g	2.5	0.370	Low-Mid	Low	+2"/-2"	\$150.00
TOUR AD VF HY 95	S	95g	2.5	0.370	Low-Mid	Low	+2"/-2"	\$150.00
TOUR AD VF HY 95	X	97g	2.5	0.370	Low-Mid	Low	+2"/-2"	\$150.00

KBS



MODEL	FLEX	WEIGHT	TORQUE	TIP SIZE	LAUNCH	SPIN	MAX/MIN CUSTOM LENGTH	UPCHARGE
TOUR	S	120g	1.3	0.370	Mid	Mid	+2" / -2"	\$15.00
TOUR	X	130g	1.2	0.355	Mid	Mid	+0.5" / -2"	\$15.00



MODEL	FLEX	WEIGHT	TORQUE	TIP SIZE	LAUNCH	SPIN	MAX/MIN CUSTOM LENGTH	UPCHARGE
MAX GRAPHITE 45	L	45g	6.5	0.370	High	High	+1" / -2"	\$15.00
MAX GRAPHITE 55	A	55g	4.8	0.370	High	High	+1" / -2"	\$15.00
MAX GRAPHITE 65	R	65g	3.8	0.370	High	High	+1" / -2"	\$15.00
MAX GRAPHITE 75	S	75g	3.0	0.370	High	High	+1" / -2"	\$15.00

DRIVER/WY SHAFTS

HYBRID SHAFTS

IRON SHAFTS

WEDGES

PUTTERS

SWING GRIPS

PUTTER GRIPS

BUILD

JUNIOR



CUSTOM HYBRID SHAFT OPTIONS



KBS




MODEL	FLEX	WEIGHT	TORQUE	TIP SIZE	LAUNCH	SPIN	MAX/MIN CUSTOM LENGTH	UPCHARGE
MAX HL 40 HYBRID	L	40g	5.0	0.370	High	High	+2" / -2"	\$15.00
MAX HL 50 HYBRID	A	50g	4.5	0.370	High	High	+2" / -2"	\$15.00
MAX HL 60 HYBRID	R	60g	4.0	0.370	High	Mid-High	+2" / -2"	\$15.00



MODEL	FLEX	WEIGHT	TORQUE	TIP SIZE	LAUNCH	SPIN	MAX/MIN CUSTOM LENGTH	UPCHARGE
MAX 85 MT	R	93.3g	2.1	0.370	High	High	+2" / -2"	\$-
MAX 85 MT	S	93.3g	2.1	0.370	High	High	+2" / -2"	\$-



MODEL	FLEX	WEIGHT	TORQUE	TIP SIZE	LAUNCH	SPIN	MAX/MIN CUSTOM LENGTH	UPCHARGE
C TAPER	S	120g	1.9	0.370	Low	Low	+2" / -2"	\$15.00
C TAPER	X	130g	1.8	0.370	Low	Low	+2" / -2"	\$15.00



MODEL	FLEX	WEIGHT	TORQUE	TIP SIZE	LAUNCH	SPIN	MAX/MIN CUSTOM LENGTH	UPCHARGE
C-TAPER LITE	R	105g	2.2	0.355	Mid-High	Mid	+0.5" / -2"	\$15.00
C-TAPER LITE	S	110g	2.1	0.355	Mid-High	Mid	+0.5" / -2"	\$15.00
C-TAPER LITE	X	115g	2.0	0.355	Mid-High	Mid	+0.5" / -2"	\$15.00



MODEL	FLEX	WEIGHT	TORQUE	TIP SIZE	LAUNCH	SPIN	MAX/MIN CUSTOM LENGTH	UPCHARGE
\$ TAPER CHROME	S	120g	1.3	0.355	Mid	Low	+0.5" / -2"	\$15.00
\$ TAPER CHROME	X	130g	1.2	0.355	Mid	Low	+0.5" / -2"	\$15.00

DRIVER/WY SHAFTS

HYBRID SHAFTS

IRON SHAFTS

WEDGES

PUTTERS

SWING GRIPS

PUTTER GRIPS

BUILD

JUNIOR



CUSTOM HYBRID SHAFT OPTIONS



MCA



MODEL	FLEX	WEIGHT	TORQUE	TIP SIZE	LAUNCH	SPIN	MAX/MIN CUSTOM LENGTH	UPCHARGE
BASSARA E60 HY	A	63g	6	0.370	High	High	+2" / -2"	\$-
BASSARA E60 HY	R	67g	5.6	0.370	High	Mid-High	+2" / -2"	\$-



MODEL	FLEX	WEIGHT	TORQUE	TIP SIZE	LAUNCH	SPIN	MAX/MIN CUSTOM LENGTH	UPCHARGE
KAI'LI RED 95 HY	X	96g	2.8	0.370	Mid	Mid-Low	+2" / -2"	\$-
KAI'LI RED 85 HY	S	80g	3.2	0.370	Mid	Mid-Low	+2" / -2"	\$-
KAI'LI RED 75 HY	R	69g	3.8	0.370	Mid	Mid-Low	+2" / -2"	\$-



MODEL	FLEX	WEIGHT	TORQUE	TIP SIZE	LAUNCH	SPIN	MAX/MIN CUSTOM LENGTH	UPCHARGE
KAI'LI WHITE 90	X	92g	2.6	0.370	Low	Low	+2" / -2"	\$-
KAI'LI WHITE 90	S	91g	2.6	0.370	Low	Low	+2" / -2"	\$-



MODEL	FLEX	WEIGHT	TORQUE	TIP SIZE	LAUNCH	SPIN	MAX/MIN CUSTOM LENGTH	UPCHARGE
KAILI BLUE HB 95	X	96g	3.0	0.370	Mid	Low	+1.75" / -2"	\$-
KAILI BLUE HB 85	S	79.5g	3.4	0.370	Mid	Low	+1.75" / -2"	\$-



MODEL	FLEX	WEIGHT	TORQUE	TIP SIZE	LAUNCH	SPIN	MAX/MIN CUSTOM LENGTH	UPCHARGE
TENSEI AV LIMITED BLUE 65 HY	R	68g	4.0	0.370	Mid	Mid-Low	+1.75" / -2"	\$-
TENSEI AV LIMITED BLUE 75 HY	S	79g	3.4	0.370	Mid	Mid-Low	+1.75" / -2"	\$-
TENSEI AV LIMITED BLUE 85 HY	X	95g	3.0	0.370	Mid	Mid-Low	+1.75" / -2"	\$-



MODEL	FLEX	WEIGHT	TORQUE	TIP SIZE	LAUNCH	SPIN	MAX/MIN CUSTOM LENGTH	UPCHARGE
TENSEI 1K BLACK HY 85	S	87g	2.5	0.370	Low	Low	+2"/-2"	\$-
TENSEI 1K BLACK HY 85	X	91g	2.4	0.370	Low	Low	+2"/-2"	\$-
TENSEI 1K BLACK HY 95	X	102g	2.3	0.370	Low	Low	+2"/-2"	\$-



MODEL	FLEX	WEIGHT	TORQUE	TIP SIZE	LAUNCH	SPIN	MAX/MIN CUSTOM LENGTH	UPCHARGE
VANQUISH 50	R2-A	62g	5.8	0.370	High	Mid-High	+1.75" / -2"	\$-
VANQUISH 50	R	62g	5.7	0.370	High	Mid-High	+1.75" / -2"	\$-

CUSTOM HYBRID SHAFT OPTIONS



PROJECT X



MODEL	FLEX	WEIGHT	TORQUE	TIP SIZE	LAUNCH	SPIN	MAX/MIN CUSTOM LENGTH	UPCHARGE
HZRDIUS SMOKE RDX RED 70 HY	5.5 (R)	70g	2.8	0.370	Mid	Mid	+2" / -2"	\$-
HZRDIUS SMOKE RDX RED 80 HY	6.0 (S)	80g	2.4	0.370	Mid	Mid	+2" / -2"	\$-
HZRDIUS SMOKE RDX RED 80 HY	6.5 (X)	80g	2.2	0.370	Mid	Mid	+2" / -2"	\$-



MODEL	FLEX	WEIGHT	TORQUE	TIP SIZE	LAUNCH	SPIN	MAX/MIN CUSTOM LENGTH	UPCHARGE
HZRDIUS BLACK 90 HY	6.5 (X)	92g	2.1	0.370	Low	Low	+2" / -2"	\$-
HZRDIUS BLACK 80 HY	6.0 (S)	79g	2.1	0.370	Low	Low	+2" / -2"	\$-



MODEL	FLEX	WEIGHT	TORQUE	TIP SIZE	LAUNCH	SPIN	MAX/MIN CUSTOM LENGTH	UPCHARGE
HZRDIUS BLACK HY 80 G5	6.0 (S)	82g	2.2	0.370	Low	Low	+2"/-2"	\$15.00
HZRDIUS BLACK HY 80 G5	6.5 (X)	83g	2.1	0.370	Low	Low	+2"/-2"	\$15.00
HZRDIUS BLACK HY 90 G5	6.0 (S)	90g	2.2	0.370	Low	Low	+2"/-2"	\$15.00
HZRDIUS BLACK HY 90 G5	6.5 (X)	91g	2.1	0.370	Low	Low	+2"/-2"	\$15.00



MODEL	FLEX	WEIGHT	TORQUE	TIP SIZE	LAUNCH	SPIN	MAX/MIN CUSTOM LENGTH	UPCHARGE
EVENFLOW RIPTIDE 80 HY	6.0 (S)	88g	3.2	0.370	Mid	Mid	+2" / -2"	\$50.00
EVENFLOW RIPTIDE 80 HY	6.5 (X)	88g	3.2	0.370	Mid	Mid	+2" / -2"	\$50.00



MODEL	FLEX	WEIGHT	TORQUE	TIP SIZE	LAUNCH	SPIN	MAX/MIN CUSTOM LENGTH	UPCHARGE
PROJECT X	6.0 (S)	120g	1.4	0.370	Low	Mid-Low	+1" / -2"	\$15.00
PROJECT X	6.5 (X)	125g	1.2	0.370	Low	Mid-Low	+1" / -2"	\$15.00

DRIVER/WY SHAFTS

HYBRID SHAFTS

IRON SHAFTS

WEDGES

PUTTERS

SWING GRIPS

PUTTER GRIPS

BUILD

JUNIOR



CUSTOM HYBRID SHAFT OPTIONS



TRUE TEMPER



MODEL	FLEX	WEIGHT	TORQUE	TIP SIZE	LAUNCH	SPIN	MAX/MIN CUSTOM LENGTH	UPCHARGE
DYNAMIC GOLD	S300	130g	1.8	0.370	Low	Low	+1.25" / -2"	\$-
DYNAMIC GOLD	X100	130g	1.5	0.370	Low	Low	+1.25" / -2"	\$-

UST



MODEL	FLEX	WEIGHT	TORQUE	TIP SIZE	LAUNCH	SPIN	MAX/MIN CUSTOM LENGTH	UPCHARGE
PROFORCE V2 8 HY	F3 (R)	84g	3.2	0.370	Mid-High	Mid	+1" / -2"	\$-
PROFORCE V2 8 HY	F4 (S)	86g	3.2	0.370	Mid-High	Mid	+1" / -2"	\$-
PROFORCE V2 8 HY	F5 (X)	90g	3.2	0.370	Mid-High	Mid	+1" / -2"	\$-



MODEL	FLEX	WEIGHT	TORQUE	TIP SIZE	LAUNCH	SPIN	MAX/MIN CUSTOM LENGTH	UPCHARGE
RECOIL DART 65	F2 (A)	61g	5.2	0.370	MID	MID	+1" / -2"	\$15.00
RECOIL DART 65	F3 (R)	64g	5.2	0.370	MID	MID	+1" / -2"	\$15.00
RECOIL DART 75	F4 (S)	78g	3.9	0.370	MID	MID	+1" / -2"	\$15.00
RECOIL DART 90	F4 (S)	90g	2.5	0.370	MID	MID	+0.5" / -2"	\$15.00
RECOIL DART 90	F3 (R)	90g	2.6	0.370	MID	MID	+0.5" / -2"	\$15.00
RECOIL DART 105 (P-UDI & P-DHY ONLY)	F4 (S)	106g	2.0	0.355	MID	MID	+0.5" / -2"	\$-
RECOIL DART 105 (P-UDI & P-DHY ONLY)	F4 (X)	106g	2.0	0.355	MID	MID	+0.5" / -2"	\$-

DRIVER/WY SHAFTS

HYBRID SHAFTS

IRON SHAFTS

WEDGES

PUTTERS

SWING GRIPS

PUTTER GRIPS

BUILD

JUNIOR



CUSTOM IRON SHAFT OPTIONS



		LAUNCH				
		LOW	LOW-MID	MID	MID-HIGH	HIGH
SPIN	HIGH					KBS 580 (R)
						KBS MAX LITE
						KBS TOUR LITE (S, R)
						KBS HI-REV 120 WEDGE
						KBS MAX MT (S, R)
						KBS MAX GRP 75 (S) 65 (R) 55 (A) 45(L) SS
						TRUE TEMPER ELEVATE 95 MPH (S, R)
						UST RECOIL ESX 460 (A) 450 (L) SS
						UST RECOIL DART ESX (L)
SPIN	MID-HIGH				PROJECT X 10 (5.5) SS	FUJIKURA SPEEDER NX TCS 40
						UST RECOIL ESX 460 (S, R) SS
						UST RECOIL DART ESX (S, R, A) SS
						NIPPON 750GH NEO (R,S)
SPIN	MID	STEELFIBER 195 (S, R) SSS		UST RECOIL DART HDC 80 (S)	UST RECOIL DART HDC 70 (R)	
				KBS TOUR (X) TAP (S)	VENTUS TR BLUE HB 5	
				KBS TOUR BLACK (X) TAP (S)	STEELFIBER FC 90 (S, R) SSS	
				MCA MMT 75 (S) 65 (R) 55 (A) SS	KBS C TAPER LITE (X, S, R)	
				NS PRO MODUS 105 (S, R)	TRUE TEMPER AMT BLACK (S300, X100)	
				UST RECOIL DART 90 (S, R) 75 (S) 65 (R, A) SS		
				STEELFIBER 180 (S, R) 170 (S, R)		
				TRUE TEMPER DYNAMIC GOLD 115 (X100, S300, R300)		
SPIN	MID-LOW	PROJECT X (6.5, 6.0, 5.5)	NS PRO MODUS 120 (X) TAP (S)	PROJECT X LZ (6.5, 6.0, 5.5)		
		PROJECT X WEDGE (6.5, 6.0)	MCA MMT 105 / 125 (TX, S) SS			
SPIN	LOW	KBS C TAPER (X, S)		KBS S TAPER CHROME (X, S)		
		TRUE TEMPER DYNAMIC GOLD (X100, S300)				
		TRUE TEMPER DYNAMIC GOLD 120 (X100, S300)				
		TRUE TEMPER DYNAMIC GOLD TOUR ISSUE (X100, S300)				
		TRUE TEMPER DYNAMIC GOLD TOUR ISSUE (S200) WEDGE				
		TRUE TEMPER DYNAMIC GOLD TOUR ISSUE BLACK(S400) SS WEDGE				
		TRUE TEMPER DYNAMIC GOLD WEDGE				
		PROJECT X HZRDUS SMOKE RDX 90 (S) UDI				
					KEY	
					RETAIL UPCHARGE*	COMPATIBILITY
					\$ - \$15	WEDGE - MG4 / HI-TOE4
					SS - \$30	P-UDI / PDHY ONLY
					SSS - \$50	

*UPCHARGE BASED ON STOCK STEEL PRICE



DRVR/FW SHAFTS

HYBRID SHAFTS

IRON SHAFTS

WEDGES

PUTTERS

SWING GRIPS

PUTTER GRIPS

BUILD

JUNIOR

CUSTOM IRON SHAFT OPTIONS



AEROTECH



MODEL	FLEX	WEIGHT	TORQUE	LAUNCH	SPIN	MAX/MIN P-SERIES/WEDGE	MAX/MIN Qi	UPCHARGE
STEELFIBER i95	R	95g	2.5	Low	Mid	+2" / -2"	+2" / -2"	\$50.00
STEELFIBER i95	S	95g	2.4	Low	Mid	+2" / -2"	+2" / -2"	\$50.00
STEELFIBER i80	S	85g	2.9	Mid	Mid	+2" / -2"	+2" / -2"	\$50.00
STEELFIBER i80	R	85g	2.9	Mid	Mid	+2" / -2"	+2" / -2"	\$50.00
STEELFIBER i70	R	74g	3.0	Mid	Mid	+2" / -2"	+2" / -2"	\$50.00
STEELFIBER i70	A	74g	3.3	Mid	Mid	+2" / -2"	+2" / -2"	\$50.00



MODEL	FLEX	WEIGHT	TORQUE	LAUNCH	SPIN	MAX/MIN CUSTOM LENGTH P-SERIES / WEDGE	MAX/MIN CUSTOM LENGTH Qi	UPCHARGE
STEELFIBER FC 90 cw	F3 (R)	95g	3.1	Mid-High	Mid	+2" / -2"	+1.75" / -2"	\$50.00
STEELFIBER FC 90 cw	F4 (S)	95g	2.9	Mid-High	Mid	+2" / -2"	+1.75" / -2"	\$50.00

ALDILA



MODEL	FLEX	WEIGHT	TORQUE	LAUNCH	SPIN	MAX/MIN CUSTOM LENGTH P-SERIES	MAX/MIN CUSTOM LENGTH Qi	UPCHARGE
ASCENT LADIES	L	46g	4.1	HIGH	High	+2" / -2"	+2" / -2"	\$15.00

DRIVER/WY SHAFTS

HYBRID SHAFTS

IRON SHAFTS

WEDGES

PUTTERS

SWING GRIPS

PUTTER GRIPS

BUILD

JUNIOR



CUSTOM IRON SHAFT OPTIONS



FUJIKURA



MODEL	FLEX	WEIGHT	TORQUE	LAUNCH	SPIN	MAX/MIN CUSTOM LENGTH P-SERIES	MAX/MIN CUSTOM LENGTH Qi	UPCHARGE
VENTUS TR BLUE HB 5	A	57	3.4	Mid	Mid	+2"/-2"	+2"/-2"	\$15.00
VENTUS TR BLUE HB 6	R	67	3.2	Mid	Mid	+2"/-2"	+2"/-2"	\$15.00
VENTUS TR BLUE HB 7	S	76	2.8	Mid	Mid	+2"/-2"	+2"/-2"	\$15.00



MODEL	FLEX	WEIGHT	TORQUE	LAUNCH	SPIN	MAX/MIN P-SERIES/WEDGE	MAX/MIN Qi	UPCHARGE
SPEEDER NX TCS 40	L	49	3.2	High	Mid	+2"/-2"	+2"/-2"	\$15.00
SPEEDER NX TCS 50	A	55	3.0	High	Mid	+2"/-2"	+2"/-2"	\$15.00
SPEEDER NX TCS 50	R	57	2.8	High	Mid	+2"/-2"	+2"/-2"	\$15.00
SPEEDER NX TCS 50	S	59	2.7	High	Mid	+2"/-2"	+2"/-2"	\$15.00

DRIVER/WY SHAFTS

HYBRID SHAFTS

IRON SHAFTS

WEDGES

PUTTERS

SWING GRIPS

PUTTER GRIPS

BUILD


JUNIOR




CUSTOM IRON SHAFT OPTIONS




KBS




MODEL	FLEX	WEIGHT	TORQUE	LAUNCH	SPIN	MAX/MIN CUSTOM LENGTH P-SERIES / WEDGE	MAX/MIN CUSTOM LENGTH Qi	UPCHARGE
MAX LITE	S	83 g	2.3	High	High	+2" / -2"	+2" / -2"	\$-
MAX LITE	R	83 g	2.4	High	High	+2" / -2"	+2" / -2"	\$-




MODEL	FLEX	WEIGHT	TORQUE	LAUNCH	SPIN	MAX/MIN CUSTOM LENGTH P-SERIES / WEDGE	MAX/MIN CUSTOM LENGTH Qi	UPCHARGE
TOUR LITE	R	95g	2.5	High	High	+2" / -2"	+2" / -2"	\$-
TOUR LITE	S	100g	2.3	High	High	+2" / -2"	+2" / -2"	\$-
TOUR LITE	X	105	2.1	High	High	+2" / -2"	+2" / -2"	\$-




MODEL	FLEX	WEIGHT	TORQUE	LAUNCH	SPIN	MAX/MIN CUSTOM LENGTH P-SERIES / WEDGE	MAX/MIN CUSTOM LENGTH Qi	UPCHARGE
TOUR BLACK	S	120	1.3	Mid	Mid	+2" / -2"	+2" / -2"	\$15.00
TOUR BLACK	X	130	1.2	Mid	Mid	+2" / -2"	+2" / -2"	\$15.00



MODEL	FLEX	WEIGHT	TORQUE	LAUNCH	SPIN	MAX/MIN CUSTOM LENGTH P-SERIES / WEDGE	MAX/MIN CUSTOM LENGTH Qi	UPCHARGE
TOUR	S	120g	1.3	Mid	Mid	+2" / -2"	+2" / -2"	\$15.00
TOUR	X	130g	1.2	Mid	Mid	+2" / -2"	+2" / -2"	\$15.00



MODEL	FLEX	WEIGHT	TORQUE	LAUNCH	SPIN	MAX/MIN CUSTOM LENGTH P-SERIES / WEDGE	MAX/MIN CUSTOM LENGTH Qi	UPCHARGE
\$ TAPER CHROME	S	120g	1.3	Mid	Low	+2" / -2"	+2" / -2"	\$15.00
\$ TAPER CHROME	X	130g	1.2	Mid	Low	+2" / -2"	+2" / -2"	\$15.00



MODEL	FLEX	WEIGHT	TORQUE	LAUNCH	SPIN	MAX/MIN CUSTOM LENGTH P-SERIES / WEDGE	MAX/MIN CUSTOM LENGTH Qi	UPCHARGE
C-TAPER	S	120g	1.9	Low	Low	+2" / -2"	+2" / -2"	\$15.00
C-TAPER	X	130g	1.8	Low	Low	+2" / -2"	+2" / -2"	\$15.00

DRVR/FW SHAFTS

HYBRID SHAFTS

IRON SHAFTS

WEDGES

PUTTERS

SWING GRIPS

PUTTER GRIPS

BUILD

JUNIOR



CUSTOM IRON SHAFT OPTIONS




KBS




MODEL	FLEX	WEIGHT	TORQUE	LAUNCH	SPIN	MAX/MIN CUSTOM LENGTH P-SERIES / WEDGE	MAX/MIN CUSTOM LENGTH Qi	UPCHARGE
C-TAPER LITE	R	105g	2.2	Mid-High	Mid	+2" / -2"	+2" / -2"	\$15.00
C-TAPER LITE	S	110g	2.1	Mid-High	Mid	+2" / -2"	+2" / -2"	\$15.00
C-TAPER LITE	X	115g	2	Mid-High	Mid	+2" / -2"	+2" / -2"	\$15.00



MODEL	FLEX	WEIGHT	TORQUE	LAUNCH	SPIN	MAX/MIN CUSTOM LENGTH P-SERIES	MAX/MIN CUSTOM LENGTH Qi	UPCHARGE
MAX 85 MT	R	93.3g	2.1	High	High	+2" / -2"	+2" / -2"	\$-
MAX 85 MT	S	93.3g	2.1	High	High	+2" / -2"	+2" / -2"	\$-



MODEL	FLEX	WEIGHT	TORQUE	LAUNCH	SPIN	MAX/MIN CUSTOM LENGTH P-SERIES	MAX/MIN CUSTOM LENGTH Qi	UPCHARGE
MAX GRAPHITE 45	L	45g	6.5	High	High	+2" / -2"	+2" / -2"	\$15.00
MAX GRAPHITE 55	A	55g	4.8	High	High	+2" / -2"	+2" / -2"	\$15.00
MAX GRAPHITE 65	R	65g	3.8	High	High	+2" / -2"	+2" / -2"	\$15.00
MAX GRAPHITE 75	S	75g	3	High	High	+2" / -2"	+2" / -2"	\$15.00



MODEL	FLEX	WEIGHT	TORQUE	LAUNCH	SPIN	MAX/MIN CUSTOM LENGTH WEDGE	MAX/MIN CUSTOM LENGTH Qi	UPCHARGE
HI-REV-2.0 115 WEDGE	WEDGE R	115g	1.3	High	High	+2" / -2"	NA	\$-

MCA



MODEL	FLEX	WEIGHT	TORQUE	LAUNCH	SPIN	MAX/MIN CUSTOM LENGTH P-SERIES / WEDGE	MAX/MIN CUSTOM LENGTH Qi	UPCHARGE
MMT 55	A	59g	3.5	Mid	Mid	+2" / -2"	+1.75" / -2"	\$15.00
MMT 65	R	63g	3.5	Mid	Mid	+2" / -2"	+1.75" / -2"	\$15.00
MMT 75	S	74g	3.7	Mid	Mid	+2" / -2"	+1.75" / -2"	\$15.00
MMT 105	S	105g	2.8	Mid-Low	Mid-Low	+1.5" / -2"	+0.75" / -2"	\$15.00
MMT 105	TX	113g	2.8	Mid-Low	Mid-Low	+1.5" / -2"	+0.75" / -2"	\$15.00
MMT 125	S	124g	2.8	Mid-Low	Mid-Low	+1.5" / -2"	+0.75" / -2"	\$15.00
MMT 125	TX	125g	2.7	Mid-Low	Mid-Low	+1.5" / -2"	+0.75" / -2"	\$15.00

CUSTOM IRON SHAFT OPTIONS



NIPPON



MODEL	FLEX	WEIGHT	TORQUE	LAUNCH	SPIN	MAX/MIN CUSTOM LENGTH P-SERIES / WEDGE	MAX/MIN CUSTOM LENGTH Qi	UPCHARGE
750GH NEO	R	74.5g	2.4	High	Mid-High	+1"/-2"	+1"/-2"	\$15.00
750GH NEO	S	78g	2.3	High	Mid-High	+1"/-2"	+1"/-2"	\$15.00



MODEL	FLEX	WEIGHT	TORQUE	LAUNCH	SPIN	MAX/MIN CUSTOM LENGTH P-SERIES / WEDGE	MAX/MIN CUSTOM LENGTH Qi	UPCHARGE
N.S PRO MODUS 120	S	114g	1.7	Mid-low	Mid-Low	+2" / -2"	+2" / -2"	\$15.00
N.S PRO MODUS 120	X	120g	1.6	Mid-low	Mid-Low	+2" / -2"	+2" / -2"	\$15.00



MODEL	FLEX	WEIGHT	TORQUE	LAUNCH	SPIN	MAX/MIN CUSTOM LENGTH P-SERIES / WEDGE	MAX/MIN CUSTOM LENGTH Qi	UPCHARGE
N.S PRO MODUS 105	S	106.5	1.7	Mid	Mid	+2" / -2"	+2" / -2"	\$15.00
N.S PRO MODUS 105	R	103g	1.9	Mid	Mid	+2" / -2"	+2" / -2"	\$15.00



MODEL	FLEX	WEIGHT	TORQUE	LAUNCH	SPIN	MAX/MIN CUSTOM LENGTH P-SERIES / WEDGE	MAX/MIN CUSTOM LENGTH Qi	UPCHARGE
N.S. PRO 950	S	98g	2	Mid-High	Mid-High	+0.75" / -2"	+0.25" / -2"	\$15.00
N.S. PRO 950	R	94.5g	2.3	Mid-High	Mid-High	+0.75" / -2"	+0.25" / -2"	\$15.00

PROJECT X



MODEL	FLEX	WEIGHT	TORQUE	LAUNCH	SPIN	MAX/MIN CUSTOM LENGTH P-SERIES / WEDGE	MAX/MIN CUSTOM LENGTH Qi	UPCHARGE
PROJECT X	5.5 (R)	115g	2	Low	Mid-Low	+2" / -2"	+2" / -2"	\$15.00
PROJECT X	6.0 (S)	120g	1.4	Low	Mid-Low	+2" / -2"	+2" / -2"	\$15.00
PROJECT X	6.5 (X)	125g	1.2	Low	Mid-Low	+2" / -2"	+2" / -2"	\$15.00



MODEL	FLEX	WEIGHT	TORQUE	LAUNCH	SPIN	MAX/MIN CUSTOM LENGTH WEDGE	MAX/MIN CUSTOM LENGTH Qi	UPCHARGE
PROJECT X WEDGE	6.0	120	1.5	Low	Low-Mid	+2"/-2"	n/a	\$15.00
PROJECT X WEDGE	6.5	125	1.3	Low	Low-Mid	+2"/-2"	n/a	\$15.00

CUSTOM IRON SHAFT OPTIONS



PROJECT X



MODEL	FLEX	WEIGHT	TORQUE	LAUNCH	SPIN	MAX/MIN CUSTOM LENGTH P-SERIES / WEDGE	MAX/MIN CUSTOM LENGTH Qi	UPCHARGE
PROJECT X LZ	5.5 (R)	115g	2.1	Mid	Mid-Low	+2" / -2"	+1.75" / -2"	\$15.00
PROJECT X LZ	6.0 (S)	120g	1.7	Mid	Mid-Low	+2" / -2"	+1.75" / -2"	\$15.00
PROJECT X LZ	6.5 (X)	125g	1.3	Mid	Mid-Low	+2" / -2"	+1.75" / -2"	\$15.00

TRUE TEMPER



MODEL	FLEX	WEIGHT	TORQUE	LAUNCH	SPIN	MAX/MIN CUSTOM LENGTH P-SERIES / WEDGE	MAX/MIN CUSTOM LENGTH Qi	UPCHARGE
AMT BLACK	R300	94-112g	2.3-1.9	Mid-High	Mid	+2" / -2"	+2" / -2"	\$15.00
AMT BLACK	S300	95-113g	2.1-1.7	Mid-High	Mid	+2" / -2"	+2" / -2"	\$15.00



MODEL	FLEX	WEIGHT	TORQUE	LAUNCH	SPIN	MAX/MIN CUSTOM LENGTH P-SERIES / WEDGE	MAX/MIN CUSTOM LENGTH Qi	UPCHARGE
DYNAMIC GOLD	S300	130g	1.8	Low	Low	+2" / -2"	+1.75" / -2"	\$15.00
DYNAMIC GOLD	X100	130g	1.5	Low	Low	+2" / -2"	+1.75" / -2"	\$15.00



MODEL	FLEX	WEIGHT	TORQUE	LAUNCH	SPIN	MAX/MIN CUSTOM LENGTH P-SERIES / WEDGE	MAX/MIN CUSTOM LENGTH Qi	UPCHARGE
DYNAMIC GOLD MID 115	R300	114 g	1.8	Mid	Mid	+2" / -2"	+2" / -2"	\$-
DYNAMIC GOLD MID 115	S300	115 g	1.9	Mid	Mid	+2" / -2"	+2" / -2"	\$-
DYNAMIC GOLD MID 115	X100	116 g	2.0	Mid	Mid	+2" / -2"	+2" / -2"	\$-



MODEL	FLEX	WEIGHT	TORQUE	LAUNCH	SPIN	MAX/MIN CUSTOM LENGTH P-SERIES / WEDGE	MAX/MIN CUSTOM LENGTH Qi	UPCHARGE
DYNAMIC GOLD 120	S300	118g	1.7	Low	Low	+2 / -2"	+2 / -2"	\$15.00
DYNAMIC GOLD 120	X100	120g	1.7	Low	Low	+2 / -2"	+2 / -2"	\$15.00

DRIVER/WY SHAFTS

HYBRID SHAFTS

IRON SHAFTS

WEDGES

PUTTERS

SWING GRIPS

PUTTER GRIPS

BUILD


JUNIOR




CUSTOM IRON SHAFT OPTIONS




TRUE TEMPER




MODEL	FLEX	WEIGHT	TORQUE	LAUNCH	SPIN	MAX/MIN CUSTOM LENGTH P-SERIES / WEDGE	MAX/MIN CUSTOM LENGTH Qi	UPCHARGE
DYNAMIC GOLD TOUR ISSUE	X100	130g	1.5	Low	Low	+2" / -2"	+2" / -2"	\$30.00
DYNAMIC GOLD TOUR ISSUE	S400	132g	1.6	Low	Low	+2" / -2"	+2" / -2"	\$30.00




MODEL	FLEX	WEIGHT	TORQUE	LAUNCH	SPIN	MAX/MIN CUSTOM LENGTH WEDGE	MAX/MIN CUSTOM LENGTH Qi	UPCHARGE
DYNAMIC GOLD TOUR ISSUE BLACK - WEDGE ONLY	S400	132g	1.6	Low	Mid	+2" / -2"	n/a	\$30.00



MODEL	FLEX	WEIGHT	TORQUE	LAUNCH	SPIN	MAX/MIN CUSTOM LENGTH P-SERIES / WEDGE	MAX/MIN CUSTOM LENGTH Qi	UPCHARGE
DYNAMIC GOLD 105	S300	104g	2	Mid	Mid	+2" / -2"	+1.75" / -2"	\$15.00
DYNAMIC GOLD 105	X100	106g	1.9	Mid	Mid	+2" / -2"	+1.75" / -2"	\$15.00



MODEL	FLEX	WEIGHT	TORQUE	LAUNCH	SPIN	MAX/MIN CUSTOM LENGTH WEDGE	MAX/MIN CUSTOM LENGTH Qi	UPCHARGE
DYNAMIC GOLD 95	R300	96g	2.1	High	High	+2" / -2"	+1.75" / -2"	\$15.00



MODEL	FLEX	WEIGHT	TORQUE	LAUNCH	SPIN	MAX/MIN CUSTOM LENGTH P-SERIES / WEDGE	MAX/MIN CUSTOM LENGTH Qi	UPCHARGE
ELEVATE 95 MPH	R	96g	2.1	High	High	+2" / -2"	+1.75" / -2"	\$15.00
ELEVATE 95 MPH	S	98g	2	High	High	+2" / -2"	+1.75" / -2"	\$15.00

DRIVER/WY SHAFTS

HYBRID SHAFTS

IRON SHAFTS

WEDGES

PUTTERS

SWING GRIPS

PUTTER GRIPS

BUILD

JUNIOR




CUSTOM IRON SHAFT OPTIONS




TRUE TEMPER



MODEL	FLEX	WEIGHT	TORQUE	LAUNCH	SPIN	MAX/MIN CUSTOM LENGTH WEDGE	MAX/MIN CUSTOM LENGTH Qi	UPCHARGE
DYNAMIC GOLD WEDGE	WEDGE	130g	1.4	Low	Low	+2" / -2"	NA	\$15.00



MODEL	FLEX	WEIGHT	TORQUE	LAUNCH	SPIN	MAX/MIN CUSTOM LENGTH WEDGE	MAX/MIN CUSTOM LENGTH Qi	UPCHARGE
DYNAMIC GOLD TOUR ISSUE 115g	WEDGE	115g	2	Mid	Mid	+2" / -2"	N/A	\$-



MODEL	FLEX	WEIGHT	TORQUE	LAUNCH	SPIN	MAX/MIN CUSTOM LENGTH WEDGE	MAX/MIN CUSTOM LENGTH Qi	UPCHARGE
DYNAMIC GOLD TOUR ISSUE 115g	WEDGE	115g	2	Mid	Mid	+2" / -2"	N/A	\$-

UST



MODEL	FLEX	WEIGHT	TORQUE	LAUNCH	SPIN	MAX/MIN CUSTOM LENGTH P-SERIES / WEDGE	MAX/MIN CUSTOM LENGTH Qi	UPCHARGE
RECOIL DART 65	A (F2)	61g	5.2	Mid	Mid	+2" / -2"	+2" / -2"	\$15.00
RECOIL DART 65	R (F3)	64g	5.2	Mid	Mid	+2" / -2"	+2" / -2"	\$15.00
RECOIL DART 75	S (F4)	78g	3.9	Mid	Mid	+2" / -2"	+2" / -2"	\$15.00
RECOIL DART 90	F4 (S)	90g	2.6	Mid	Mid	+2" / -2"	+2" / -2"	\$15.00
RECOIL DART 90	F3 (R)	90g	2.5	Mid	Mid	+2" / -2"	+2" / -2"	\$15.00



MODEL	FLEX	WEIGHT	TORQUE	LAUNCH	SPIN	MAX/MIN CUSTOM LENGTH P-SERIES / WEDGE	MAX/MIN CUSTOM LENGTH Qi	UPCHARGE
RECOIL ESX 450	L (F1)	52g	4.2	High	High	+2" / -2"	+2" / -2"	\$15.00
RECOIL ESX 460	A (F2)	59g	4.8	High	High	+2" / -2"	+2" / -2"	\$15.00
RECOIL ESX 460	R (F3)	64g	4.7	High	Mid-High	+2" / -2"	+2" / -2"	\$15.00
RECOIL ESX 460	S (F4)	67g	4.6	High	Mid-High	+2" / -2"	+2" / -2"	\$15.00

CUSTOM IRON SHAFT OPTIONS



UST



MODEL	FLEX	WEIGHT	TORQUE	LAUNCH	SPIN	MAX/MIN CUSTOM LENGTH P-SERIES / WEDGE	MAX/MIN CUSTOM LENGTH Qi	UPCHARGE
Recoil DART ESX - L	L	54g	4.2	High	High	+2"/-2"	+2"/-2"	\$15.00
Recoil DART ESX - A	A	60g	4.6	High	High	+2"/-2"	+2"/-2"	\$15.00
Recoil DART ESX - R	R	64g	4.5	High	High	+2"/-2"	+2"/-2"	\$15.00
Recoil DART ESX - S	S	67g	4.5	High	High	+2"/-2"	+2"/-2"	\$15.00



MODEL	FLEX	WEIGHT	TORQUE	LAUNCH	SPIN	MAX/MIN CUSTOM LENGTH P-SERIES / WEDGE	MAX/MIN CUSTOM LENGTH Qi	UPCHARGE
Recoil DART HDC - R	R	65g	5.0	Mid-High	Mid	+2"/-2"	+2"/-2"	\$15.00
Recoil DART HDC - S	S	79g	3.8	Mid	Mid	+2"/-2"	+2"/-2"	\$15.00

DRIVER/WY SHAFTS

HYBRID SHAFTS

IRON SHAFTS

WEDGES

PUTTERS

SWING GRIPS


PUTTER GRIPS

BUILD

JUNIOR



GOLF PRIDE



MODEL	COLOR	SIZE	WEIGHT	BUTT SIZE	TYPE	UPCHARGE
CPX	GREY/BLUE	STANDARD	52g	0.600	ROUND	\$10.00
CPX MIDSIZE	GREY/BLUE	MID-SIZE	66g	0.600	ROUND	\$10.00



MODEL	COLOR	SIZE	WEIGHT	BUTT SIZE	TYPE	UPCHARGE
TOUR VELVET (TM Logo)	BLACK	STANDARD	51.5g	0.580	ROUND	\$6.50
TOUR VELVET	BLACK	STANDARD	51.5g	0.580	REMINDER	\$6.50
TOUR VELVET	BLACK	MID-SIZE	53.5g	0.600	ROUND	\$6.50
TOUR VELVET	BLACK	UNDERSIZE	45g	0.620	ROUND	\$6.50



MODEL	COLOR	SIZE	WEIGHT	BUTT SIZE	TYPE	UPCHARGE
TOUR VELVET CORD	BLACK	STANDARD	52.5g	0.580	ROUND	\$12.00



MODEL	COLOR	SIZE	WEIGHT	BUTT SIZE	TYPE	UPCHARGE
TOUR WRAP 2G	BLACK	STANDARD	55g	0.600	ROUND	\$8.00
	BLACK	MID-SIZE	58g	0.600	ROUND	\$8.00
	WHITE	STANDARD	55g	0.600	ROUND	\$8.00



MODEL	COLOR	SIZE	WEIGHT	BUTT SIZE	TYPE	UPCHARGE
MCC	RED / BLACK	STANDARD	46.5g	0.600	ROUND	\$12.00
	RED / BLACK	MID-SIZE	59g	0.600	ROUND	\$12.00
	WHITE / BLACK	STANDARD	46.5g	0.600	ROUND	\$12.00

DRIVER/WY SHAFTS

HYBRID SHAFTS

IRON SHAFTS

WEDGES

PUTTERS

SWING GRIPS

PUTTER GRIPS

BUILD

JUNIOR



CLUB GRIPS



GOLF PRIDE



MODEL	COLOR	SIZE	WEIGHT	BUTT SIZE	TYPE	UPCHARGE
CP2 PRO	BLACK / RED	STANDARD	50g	0.600	ROUND	\$10.00
	BLACK / RED	MID-SIZE	63.5g	0.600	ROUND	\$10.00



MODEL	COLOR	SIZE	WEIGHT	BUTT SIZE	TYPE	UPCHARGE
CP2 WRAP	BLACK / BLUE	STANDARD	50g	0.600	ROUND	\$10.00
	BLACK / BLUE	MID-SIZE	63.5g	0.600	ROUND	\$10.00
	BLACK / BLUE	JUMBO	80g	0.600	ROUND	\$10.00



MODEL	COLOR	SIZE	WEIGHT	BUTT SIZE	TYPE	UPCHARGE
MCC PLUS4	GRAY / BLACK	STANDARD	52g	0.600	ROUND	\$12.00
	GRAY / BLACK	MID-SIZE	66g	0.600	ROUND	\$12.00



MODEL	COLOR	SIZE	WEIGHT	BUTT SIZE	TYPE	UPCHARGE
MCC PLUS4 ALIGN	BLACK / GRAY	STANDARD	53g	0.600	REMINDER	\$12.00
MCC PLUS4 ALIGN	BLACK / GRAY	MID-SIZE	67g	0.600	REMINDER	\$12.00

DRVR/WY SHAFTS

HYBRID SHAFTS

IRON SHAFTS

WEDGES

PUTTERS

SWING GRIPS

PUTTER GRIPS

BUILD

JUNIOR




CLUB GRIPS




GOLF PRIDE




MODEL	COLOR	SIZE	WEIGHT	BUTT SIZE	TYPE	UPCHARGE
Z-GRIP	BLACK/WHITE	STANDARD	58g	0.6	ROUND	\$0.00
Z-GRIP (Qi35 MAX DRIVER)	BLACK/SILVER	STANDARD	52g	0.6	ROUND	\$0.00
Z-GRIP LITE	BLACK/WHITE	STANDARD	43.5g	0.6	ROUND	\$0.00




MODEL	COLOR	SIZE	WEIGHT	BUTT SIZE	TYPE	UPCHARGE
Z GRIP (TM Logo)	RED	STANDARD	47g	0.600	ROUND	\$6.50
Z GRIP (TM Logo)	BLUE	STANDARD	47g	0.600	ROUND	\$6.50
Z GRIP (TM Logo)	SILVER	STANDARD	47g	0.600	ROUND	\$6.50
Z GRIP (TM Logo)	BLACK	STANDARD	47g	0.600	ROUND	\$6.50




MODEL	COLOR	SIZE	WEIGHT	BUTT SIZE	TYPE	UPCHARGE
Z GRIP	BLACK/GREY	STANDARD	52g	0.580	ROUND	\$0.00




MODEL	COLOR	SIZE	WEIGHT	BUTT SIZE	TYPE	UPCHARGE
Z-GRIP (STEALTH 2)	BLACK/RED	STANDARD	52g	0.600	ROUND	\$0.00



MODEL	COLOR	SIZE	WEIGHT	BUTT SIZE	TYPE	UPCHARGE
Z-GRIP (2024 P•SERIES)	BLACK/WHITE	STANDARD	52g	0.580	ROUND	\$0.00



MODEL	COLOR	SIZE	WEIGHT	BUTT SIZE	TYPE	UPCHARGE
VICTORY COPPER	BLACK/COPPER	STANDARD	50g	0.600	ROUND	\$10.00



MODEL	COLOR	SIZE	WEIGHT	BUTT SIZE	TYPE	UPCHARGE
Z-CORD GRIP	BLACK/WHITE	STANDARD	50.5g	0.600	ROUND	\$12.00
Z-CORD GRIP	BLACK/WHITE	MIDSIZE	56g	0.600	ROUND	\$12.00

CLUB GRIPS




IOMIC




MODEL	COLOR	SIZE	WEIGHT	BUTT SIZE	TYPE	UPCHARGE
STICKY 2.3	BLACK / BLACK	STANDARD	52g	0.600	TEXTURED	\$11.50
	BLUE / BLACK	STANDARD	52g	0.600	TEXTURED	\$11.50


LAMKIN




MODEL	COLOR	SIZE	WEIGHT	BUTT SIZE	TYPE	UPCHARGE
LAMKIN CROSSLINE 360	BLACK/BLUE	STANDARD	47g	0.6	REMINDER	\$0.00
CROSSLINE 360	BLACK/GREEN	STANDARD	47g	0.6	REMINDER	\$0.00




MODEL	COLOR	SIZE	WEIGHT	BUTT SIZE	TYPE	UPCHARGE
CROSSLINE	BLACK / WHITE	STANDARD	50g	0.580	ROUND	\$0.00
	BLACK / WHITE	MID-SIZE	62g	0.580	ROUND	\$0.00
	BLACK / WHITE	JUMBO	76g	0.580	ROUND	\$0.00




MODEL	COLOR	SIZE	WEIGHT	BUTT SIZE	TYPE	UPCHARGE
CROSSLINE 360	BLACK / RED	STANDARD	47g	0.600	REMINDER	\$0.00



MODEL	COLOR	SIZE	WEIGHT	BUTT SIZE	TYPE	UPCHARGE
CROSS LINE 360 (M63)	BLACK/BLUE	STANDARD	52g	0.580	ROUND	\$0.00



MODEL	COLOR	SIZE	WEIGHT	BUTT SIZE	TYPE	UPCHARGE
CROSS LINE 360 (HI-TOE 3)	GRAY / BLUE	STANDARD	52g	0.580	ROUND	\$0.00



MODEL	COLOR	SIZE	WEIGHT	BUTT SIZE	TYPE	UPCHARGE
CROSSLINE 360 (HI-TOE 4)	BLACK/COPPER	STANDARD	52g	0.580	ROUND	\$0.00

CLUB GRIPS



LAMKIN



MODEL	COLOR	SIZE	WEIGHT	BUTT SIZE	TYPE	UPCHARGE
SONAR PLUS	BLACK / BLUE	STANDARD	53g	0.600	ROUND	\$10.00
	BLACK / BLUE	MID-SIZE	57g	0.600	ROUND	\$10.00
	BLACK / BLUE	JUMBO	77g	0.600	ROUND	\$10.00



MODEL	COLOR	SIZE	WEIGHT	BUTT SIZE	TYPE	UPCHARGE
CROSSLINE 360 (MG4)	BLACK/SILVER/GREEN	STANDARD	52g	0.580	ROUND	\$0.00



MODEL	COLOR	SIZE	WEIGHT	BUTT SIZE	TYPE	UPCHARGE
SONAR WRAP	BLACK / BLUE	STANDARD	53g	0.600	ROUND	\$10.00
	BLACK / BLUE	MIDSIZE	57g	0.600	ROUND	\$10.00



MODEL	COLOR	SIZE	WEIGHT	BUTT SIZE	TYPE	UPCHARGE
ST HYBRID WITH CALIBRATE	BLACK / GRAY	STANDARD	54g	0.600	ROUND	\$12.00
	BLACK / GRAY	MIDSIZE	58g	0.600	ROUND	\$12.00



MODEL	COLOR	SIZE	WEIGHT	BUTT SIZE	TYPE	UPCHARGE
SONAR WOMENS	GRAY / WHITE	STANDARD	38g	0.580	ROUND	\$0.00



MODEL	COLOR	SIZE	WEIGHT	BUTT SIZE	TYPE	UPCHARGE
ST SOFT LADIES	GREY/WHITE	STANDARD	40g	0.6	ROUND	\$0.00

DRIVER/WY SHAFTS

HYBRID SHAFTS

IRON SHAFTS

WEDGES

PUTTERS

SWING GRIPS

PUTTER GRIPS

BUILD

JUNIOR



CLUB GRIPS



SUPERSTROKE



MODEL	COLOR	SIZE	WEIGHT	BUTT SIZE	TYPE	UPCHARGE
S-TECH	BLACK	STANDARD	50g	0.600	ROUND	\$0.00



MODEL	COLOR	SIZE	WEIGHT	BUTT SIZE	TYPE	UPCHARGE
TRAXION TOUR	GRAY / WHITE	STANDARD	48g	0.600	ROUND	\$10.00
	GRAY / WHITE	MIDSIZE	49g	0.600	ROUND	\$10.00



MODEL	COLOR	SIZE	WEIGHT	BUTT SIZE	TYPE	UPCHARGE
CROSS COMFORT	BLACK / GRAY	STANDARD	48g	0.600	ROUND	\$10.00
	BLACK / GRAY	MIDSIZE	49g	0.600	ROUND	\$10.00

WINN



MODEL	COLOR	SIZE	WEIGHT	BUTT SIZE	TYPE	UPCHARGE
DRI-TAC 2.0	BLACK / BLUE	UNDERSIZE	38g	0.600	TEXTURE	\$10.00
DRI-TAC 2.0	BLACK / RED	STANDARD	51g	0.600	TEXTURE	\$10.00
DRI-TAC 2.0	BLACK / BLUE	MID-SIZE	54g	0.600	TEXTURE	\$10.00
DRI-TAC 2.0	BLACK / GRAY	JUMBO	56g	0.600	TEXTURE	\$10.00

DRIVER/WY SHAFTS

HYBRID SHAFTS

IRON SHAFTS

WEDGES

PUTTERS

SWING GRIPS

PUTTER GRIPS

BUILD

JUNIOR



PUTTER GRIPS



GOLF PRIDE



MODEL	COLOR	SIZE	WEIGHT	TYPE	UPCHARGE
TM PISTOL	BLACK / WHITE	STANDARD	71g	PUTTER	\$0.00

LAMKIN



MODEL	COLOR	SIZE	WEIGHT	TYPE	UPCHARGE
DEEP-ETCHED	BLACK	STANDARD	81g	PUTTER	\$10.00



MODEL	COLOR	SIZE	WEIGHT	TYPE	UPCHARGE
SINK FIT SKINNY	BLACK/SILVER	STANDARD	70g	PUTTER	\$0.00
SINK FIT SKINNY	NAVY	STANDARD	70g	PUTTER	\$0.00



MODEL	COLOR	SIZE	WEIGHT	TYPE	UPCHARGE
DEEP ETCHED PISTOL	BLACK	STANDARD	81g	PUTTER	\$0.00



MODEL	COLOR	SIZE	WEIGHT	TYPE	UPCHARGE
REVERSE TAPER PISTOL	BLACK/WHITE	STANDARD	64g	PUTTER	\$30.00



MODEL	COLOR	SIZE	WEIGHT	TYPE	UPCHARGE
PRO ONLY CORD - GREEN STAR 88CC	GREY/BLACK	STANDARD	90g	PUTTER	\$20.00
PRO ONLY CORD - BLUE STAR 81CC	GREY/BLACK/BLUE	STANDARD	88g	PUTTER	\$20.00
PRO ONLY CORD - RED STAR 72CC	GREY/BLACK/RED	STANDARD	78.5g	PUTTER	\$20.00

DRVR/WY SHAFTS

HYBRID SHAFTS

IRON SHAFTS

WEDGES

PUTTERS

SWING GRIPS

PUTTER GRIPS

BUILD

JUNIOR



PUTTER GRIPS




SUPERSTROKE



MODEL	COLOR	SIZE	WEIGHT	TYPE	UPCHARGE
GTR 1.0	WHITE / YELLOW	MIDSIZE	83g	PUTTER	\$0.00
GTR 1.0	GRAY / WHITE	MIDSIZE	83g	PUTTER	\$0.00
GTR 1.0	WHITE / RED	MIDSIZE	83g	PUTTER	\$0.00
GTR 1.0	BLACK / RED	MIDSIZE	83g	PUTTER	\$0.00
GTR 1.0	WHITE	MIDSIZE	83g	PUTTER	\$0.00
GTR 1.0	SILVER	MIDSIZE	83g	PUTTER	\$0.00
GTR 1.0	BLUE	MIDSIZE	83g	PUTTER	\$0.00
GTR 1.0	BLACK	MIDSIZE	84g	PUTTER	\$0.00



MODEL	COLOR	SIZE	WEIGHT	TYPE	UPCHARGE
ZENERGY PISTOL 1.0	BLACK/WHITE	STANDARD	58g	PUTTER	\$20.00



MODEL	COLOR	SIZE	WEIGHT	TYPE	UPCHARGE
ZENERGY TOUR 2.0	WHITE/BLACK	OVERSIZE	55g	PUTTER	\$20.00
ZENERGY TOUR 3.0	WHITE/BLACK	OVERSIZE +	93g	PUTTER	\$20.00



MODEL	COLOR	SIZE	WEIGHT	TYPE	UPCHARGE
ZENERGY FLATSO 2.0	BLACK/WHITE	OVERSIZE	50g	PUTTER	\$20.00



MODEL	COLOR	SIZE	WEIGHT	TYPE	UPCHARGE
2.0 XL WHITE SPIDER	WHITE	OVERSIZE	77g	PUTTER	\$0.00
2.0 XL BLACK SPIDER	BLACK	OVERSIZE	77g	PUTTER	\$0.00



MODEL	COLOR	SIZE	WEIGHT	TYPE	UPCHARGE
ZENERGY 2.0 CLAW	WHITE/BLACK	MIDSIZE	63g	PUTTER	\$20.00

TAYLORMADE JUNIOR SPEC EQUIPMENT



As your game grows, so should your equipment. TaylorMade introduces customized Junior Spec clubs, delivering premium in-line products fit for the intermediate junior golfer. It ensures high-level performance throughout the bag for the competitive or aspiring player dedicated to improving. Junior Spec clubs are the gateway to a higher level of golf.

DETAILS:

TaylorMade's Junior Spec offerings include more than a dozen shaft options and every in-line TaylorMade product. Shorter lengths and lighter swingweights make them fully customizable for junior golfers who have outgrown boxed sets, but are not quite ready for full-length equipment. Additional grip offerings and a range of loft/lie options allow for precision fit equipment that helps the golfer unlock their full potential.



DRIVERS	LENGTH
Qi35 LS DRIVER	40"
Qi35 DRIVER	40"
Qi35 MAX DRIVER	40"



FAIRWAY	LENGTH
Qi35 MAX #3	38"
Qi35 MAX #5	37"
Qi35 #3 / #3HL	38"
Qi35 #5	37"
Qi35 #7	36"
Qi35 #9	35"



RESCUE	LENGTH
Qi35 #3	36"
Qi35 #4	35"
Qi35 #5	34"
Qi35 #6	33.5"
Qi35 #7	33"

PUTTERS	LENGTH
ALL MODELS	31"



P-700 SERIES

P-790 / P-770 / P-7CB / P-7MB



IRON	LENGTH
4	33.5"
5	33"
6	32.5"
7	32"
8	31.5"
9	31"
PW	30.75"
AW	30.5"



IRON	LENGTH
4	34.13"
5	33.5"
6	32.88"
7	32.25"
8	31.75"
9	31.25"
PW	30.75"
AW	30.5"
SW	30.25"
LW	30"



WEDGE	LENGTH
46	31"
50	30.75"
52	30.75"
54	30.5"
56	30.5"
58	30.25"
60	30.25"

ADJUSTMENTS AVAILABLE IN CUSTOM

LOFT ADJUSTMENTS (IRONS/WEDGES)	+/-2°
LIE ADJUSTMENTS (IRONS/WEDGES)	+/-4°
LENGTH ADJUSTMENTS	-1" TO +2"

Loft and lies specifications mirror current stock specs for Mens / Womens

SHAFTS - DRIVER / FAIRWAY

MODEL	FLEX
HZR DUS ORANGE	5.5

MODEL	FLEX
VANQUISH 40	R2-A
VANQUISH 40	R
VANQUISH 50	R

MODEL	FLEX
AIR SPEEDER 50	A
AIR SPEEDER 50	R

MODEL	FLEX
25 VENTUS BLUE	R
25 VENTUS BLUE	A

MODEL	FLEX
AIR SPEEDER 40	L

MODEL	FLEX
CYPHER 40 4.0	L
CYPHER 40 5.0	A
CYPHER 50 5.5	R

SHAFTS - RESCUE

MODEL	FLEX
HZR DUS ORANGE	JR

MODEL	FLEX
VANQUISH 40	R2-A
VANQUISH 40	R
VANQUISH 50	R

MODEL	FLEX
AIR SPEEDER 50 HY	A
AIR SPEEDER 50 HY	R

MODEL	FLEX
25 VENTUS BLUE	R
25 VENTUS BLUE	A

MODEL	FLEX
AIR SPEEDER 45	L

GRIPS

MODEL	
GOLF PRIDE TOUR VELVET JUNIOR	

SHAFTS - IRONS

MODEL	FLEX
HZR DUS ORANGE	JR

MODEL	FLEX
VENTUS TR BLUE	R
VENTUS TR BLUE	A

MODEL	FLEX
SPEEDER NX TCS	L

MODEL	FLEX
KBS MAX GRAPHITE 65	R
KBS MAX GRAPHITE 55	A
KBS MAX GRAPHITE 45	L

MODEL	FLEX
UST RECOIL DART ESX	R (F3)
UST RECOIL DART ESX	A (F2)
UST RECOIL DART ESX	L (F1)

MODEL	FLEX
KBS 580	JNR

DRIVER RECOMMENDATION

HEIGHT	SHAFT LENGTH ADJUSTMENT	DRIVER LOFT	SHAFT FLEX
4'-4'4"	-1"	12°	Jnr Flex
4'5"-4'8"	STD	12°	Jnr Flex
4'9"-5'	+1"	10.5° / 12°	Jnr / L Flex
5'1"-5'4"	+2"	10.5° / 12°	L Flex / A Flex

FAIRWAY RECOMMENDATION

HEIGHT	SHAFT LENGTH ADJUSTMENT	FW LOFT	SHAFT FLEX
4'-4'4"	-1"	5W / 7W	Jnr Flex
4'5"-4'8"	STD	5W / 7W	Jnr Flex
4'9"-5'	+1"	5W	Jnr / L Flex
5'1"-5'4"	+2"	5W	L Flex / A Flex

RESCUE RECOMMENDATION

HEIGHT	SHAFT LENGTH ADJUSTMENT	RESCUE LOFT	SHAFT FLEX
4'-4'4"	-1"	#6-#7	Jnr Flex
4'5"-4'8"	STD	#6-#7	Jnr Flex
4'9"-5'	+1"	#5-#6	Jnr / L Flex
5'1"-5'4"	+2"	#5-#6	L Flex / A Flex

IRON RECOMMENDATION

HEIGHT	SHAFT LENGTH ADJUSTMENT	LOFT ADJUSTMENT	LIE ADJUSTMENT	SHAFT FLEX
4'-4'4"	-1"	2° Weak	4° Flat	Jnr Flex
4'5"-4'8"	STD	2° Weak	2° Flat	Jnr Flex
4'9"-5'	+1"	1° Weak	STD Lie	Jnr / L Flex
5'1"-5'4"	+2"	STD	STD Lie	L Flex / A Flex